

# Research and Reviews: Journal of Medical and Health Sciences

## Medical Uses of Snake Poison

Basheeruddin.Sk\*

Department of Pharmaceutis, M S A J College of Pharmacy, Chennai-600119  
E-mail: [basheer.shaik1989@gmail.com](mailto:basheer.shaik1989@gmail.com),

### Commentary Article

Received: 15/05/2015  
Revised:3/05/2015  
Accepted: 05/06/2015

**Corresponding Author:**Department of Pharmaceutis, M S A J College of Pharmacy,Chennai-600119; E-mail: [basheer.shaik1989@gmail.com](mailto:basheer.shaik1989@gmail.com),

**Key words:** Poison, Venom, Toxin, Anti Venom

## INTRODUCTION

Poison it's a deadly secretion that is secreted by these creatures Snake, Scorpion, BEE, Spider and Rare Species of some Frogs additionally. Secretion and injecting[1], biting , forcing out regardless of the kind of cathartic of[2] poison global organization them is for self unconscious[3]process given by their Own. Some kind of poisons square measure used for civilization[4-10] chiefly secreted by snakes, scorpions etc. We square measure discussing concerning snake chiefly. Several of the snakes square measure non-poisonous however a number of them square measure toxic.Two sorts of toxic toxins they will inject with their fangs in U.S. Haemo-toxins and Neurotoxins ,haemo-toxins[11-13] square measure utterly breakdown and clots the blood, whereas neurotoxins square measureblocks the central nervous system



With the assistance of thosemechanism[15-18] of effective toxicity the medicine that are used for all times saving ar factory-made type their poison itself.

**Key words:** Poison, Venom, Toxin, Anti-Venom.

## VENOM

Venom is one in every of typical complicated, mixed of as several as totally different peptides, enzymes, and toxins. Largely the venoms of snake speciesis totally different, they show totally different variations in various species of them itself [19.20].

Due to their nature they were take issue from their totally different organic process pressures, like totally different ancestry[21-25], prey, and environments with exploitation that venom.

## CONSTITUENTS OF VENOM

• venom is that the secretion that is secreted by venomous creatures, that are synthesized and having in their body, those are venomous [26] glands. Most of the venoms are advanced mixture of variety of proteins, peptides, enzymes, toxins and non-protein [27] inclusions. Several of them are harmless [28], however some will turn out extremely toxic in bound levels. Snake venoms cause important mortality [29] and morbidity worldwide, and strike deadly [30] worry in various count of world population.

## TOXIC EFFECTS

Toxic Effects of venom is modified within the kind of a life saved sort [31] suggests that it will destroy tumor cells. In keeping with its efficiency [32] and sort venom affects physique, totally different species have differing types of venom, that depends upon its species [33], geographical location, its environment, climate, age etc. within the season of WINTER [34] the poison are going to be in a very thick nature, whereas involves SUMMER [35] the poison are going to be less thickness it suggests that it will be hostel [36] a free flow, just in case of Monsoon [38] it is harmless up to an exact limit if eaten in liquid or crystal type owing to it contains totally anti-clotting proteins [39]. Production of toxicity is happens once it contacts blood [40]. Venom is obvious, viscous and clear liquid [41] with these options it will turn in to solid and as well as preserved for an extended time.

## TYPE OF SNAKE VENOMS

There square measure primarily 3 kinds of venom in keeping with its effects.

1. Hemotoxic Venoms: It effects Cardio system and BLOOD [42].
2. Cytotoxic Venoms: Destroys the cellular sites and muscles primarily
3. Toxin Venoms: Blocks and harm entire system [43]

## Types of toxins

### Fasciculins:

These toxins attack cholinergic neurons. Because of this intermittent cramp is caused thereupon Death happens.

That kind of Poison is Found for the most part in venom [44-48] of mambas (*Dendroaspis* spp.) and a number of rattlesnakes (*Crotalus* spp.)

### Dendrotoxins:

Dendro-toxins inhibit neurotransmissions [49] by interference the exchange of positive and negative ions across the cell membrane. So thereupon mechanism of venomous action winds up in dysfunction.

Mamba [50] snake will end up the on high of given result.

### $\alpha$ -neurotoxins:

This is an oversized cluster of poisons [51], with over one hundred postsynaptic neurotoxins [52] having been known and sequenced. Symptom and dysfunction [53-57] caused to various individual bitten by hamadryad primarily, ocean snakes [58-62] conjointly turn out this kind of impact.

Phospholipases:

Phospholipase is associate degree protein that transforms the lipid molecule into a lysophospholipid (soap) ==> the new molecule [63-67] attracts and binds fat and ruptures cell membranes.

Snake example: Okinawan habu (*Trimeresurus flavoviridis*)

**Cardiotoxins** are parts that are specifically venomous to the guts. They bind to specific sites on the surface of muscle cells and cause change ==> the poison prevents muscular contraction [68-70]. These toxins might cause the guts to beat on an irregular basis or stop beating, inflicting death.

Snake example: mambas, and a few elapid snake species.

These are solely many of the protein-based medicines that are developed from venom [70-74]. With over 600 styles of venomous snakes, scientists are certain to notice a lot of uses [75-78] for the various snakes and toxins. And with drug firms finding it tougher to develop new medicine, this is often [79] positively headway into finding new medicines [80-83] to combat completely different diseases [84-86]. Venom is additionally proving to be terribly promising as a result of nontoxic versions of poisons are found to exist in venom. May venom proteins facilitate notice the cure to cancer [87] and different deadly diseases?Whereas scientists are still trying into the various styles of proteins and their uses, it looks quite attainable that new medicine of this kind are utilized in the close to future [88-90].

The Best opposing venom production lead by Commonwealth bodily fluid Laboratories in Melbourne [91]. Venom is forwarded from the Australian reptilian Park [92] to the laboratories wherever, when being processed, Here the creatingis Injection of venom into Percheronhorses .Over 250 horses participate within the anti-venom program, all living the lifetime of luxury. They bear tokenish stress throughout the immunization and extraction processes. Immunisation is sort of harmless, and extraction is as easy as donating blood for humans



The horses are given increasing doses of venom over an amount of your time till they need designed up adequate antibodies [93] to the venom. When this has occurred, antibodies are extracted from the blood, refined and reduced to a useable kind. The human tormented by snake envenomation are going to be given by the opposing venom took from the horse solely accepted accustomed treat. When injecting in to the various people blood stream antibodies offensive of antibodies withvenom takes place, they Neutralise its result. Dose of anti-venom given to a patient varies in line with the species answerable for the bite and, once it may be observed, the number of venom injected. Age and weight of the victim makes no distinction to the dose of opposing venom needed within the treatment.

## PREPARATIONOF ANTIVENOM

Anti-venom area unit primarily 2 sorts  
Mono-valent ,B. Polyvalent

Mono-valent area unit effective against one speciesvenom .Poly-valentarea unit effective against a spread of species, or many totally different species at identical time . The primary opposing venom for snakes referred to as Associate in Nursing anti-ophidic body fluid was developed in each Bothrops genera, furthermore as sure enough species of venomous spiders, scorpions, and frogs. Anti - venoms for therapeutic use area unit typically preserved as freeze-dried ampoules [94], however some area unit accessible solely in liquid kind and should be unbroken cold. They are not straight off inactivated by heat, however, therefore a minor gap within the cold chain isnot calamitous.

The majority of opposing venoms (including all snake opposing venoms) unit of measurement administered intravenously; but red back spider opposing venoms unit of measurement given intramuscularly. The contractor route has been questioned in some things as not uniformly effective.

Anti-venoms bind to and neutralize the venom, halting any hurt, but donot reverse hurt already done. Thus, they have to be compelled to be administered as presently as potential once the venom has been injected, but unit of measurement of some profit as long as venom is gift inside the body. Since the looks of opposing venoms, some bites that were previously invariably fatal became entirely rarely fatal on condition that the opposing venom is run in time.

## Venom Evolution

Making medication from the venom itself, however, may be a fairly new plan. within the journal TOXICON its explicit that they report the supermolecule referred to as eristostatin, extracted from the venom of the Asian sand snake, helps people's immune systems fight skin cancer. Past studies have discovered that Eristostatin stops malignant melanoma cells colonising the liver [95] and lungs in mice, analysis works and tests on the on top of mechanism square measure still testing by Dr. Halley.

Medications derived from venom are in development for many decades. If we glance concerning Malayan viper, its accustomed treat hypertensive drug, Venom of mamba acts as powerful painkilling potential, and Extreme poison based within the North African's scorpion named death stalker has able to shown potential for treat neoplasm.

## MEDICAL USES OF SNAKE POISON

### . Heart attacks/ strokes

- These medication use proteins that dissolve blood clots and skinny the blood.
- Two medication are developed and used since 1998 to stop these diseases.
- The proteins have conjointly been used for those with coronary cardiopathy to breakdown plaque buildup within the arteries
- Different snakes are found to carry proteins that concentrate on differing types of cancers. One macromolecule, referred to as Crotoxin has been found within the South yankee rattler. The macromolecule looks notably drawn to cancer cells and has the flexibility to kill itself [96]. Scientists have an interest in understanding a lot of regarding this macromolecule and the way it is ready to latch on thus tightly to somatic cell receptors and people found on the surface of the brain.
- **Contortrostatin** is another sort of macromolecule found. It will the work of not attaching and stop those cancer cells from manufacturing signals that prompt new blood vessels to sprout and support the unfold of cancer. With the National Cancer Institute [97], this macromolecule has been used and developed into a drug that is presently being tested on animals. If productive, the compound are used on girls with carcinoma within the next step.
- A macromolecule referred to as Eristostatin [98-100] has been found within the Asian Sand snake that has been found to assist people's immune systems deflect skin cancer by stopping accomplished cells from colonizing the liver and lungs.

### . Scaling Brain Disorders

- All brain cells have receptors that pass signals to the body to perform bound functions. Totally different diseases cause these receptors [101-103] to perform in AN abnormal manner.
- Proteins in venom utilized in fighting diseases like bronchial asthma [104-107] , Parkinson's un-wellness, Alzheimer's unwellness, and bound pain disorders.
- These medicine would work by sterilization the actions of those receptors in order that they are going back to functioning ordinarily.

**Hannalgesin** may be a drug derived victimization the venom found within the Ophiophagus-hannah. This drug is seemingly 20-200 times simpler than morphine [108] and might even be taken orally, as critical morphine that should be injected [109,110]. Clinical trials are set for later this year or early 2014.

## CONCLUSION

Above mentioned toxic creature's poison and their poison's healthful use can helps the civilization in an exceedingly big selection, some case of diabetics, stroke of heart and neoplasm, cancer cells within the body

all area unit treated and cured by the venoms of them severally as snake, bee, spider & scorpion etc..., however these venoms area unit became anti-venoms through the method of protein mechanism in an exceedingly biotechnological process. Here the preparation of anti-venom method area unit done by injecting the antibodies in horse & sheep in the main. For this reason some those that all area unit allergic to horse and sheep are not to be meant to present anti-venom severally.

## References

1. Babor TF, Caetano R, Casswell S, Edwards G, Giesbrecht N, et al. (2010) [Alcohol: No Ordinary Commodity: Research and Public Policy](#). Oxford University Press.
2. Neufeld M, Rehm J (2013) [Alcohol consumption and mortality in Russia since 2000: are there any changes following the alcohol policy changes starting in 2006](#). *Alcohol Alcohol* 48: 222-230.
3. Mäkelä P, Mustonen H, Osterberg E (2007) [Does beverage type matter? Nordic Studies on Alcohol and Drugs](#) 24: 617-631.
4. Edwards G (1994) *Alcohol policy and the public good*. Oxford and New York: Oxford University Press.
5. Anderson P, Baumberg B (2006) [Alcohol in Europe. A public health perspective. A report for the European Commission, Institute of Alcohol Studies, UK](#).
6. Ramstedt M (2002) [Alcohol-related mortality in 15 European countries in the post-war period](#). *European Journal of Population* 18: 307-322.
7. Razvodovsky Y, Stickley A (2007) [The level and structure of alcohol-related mortality in Grodno, Belarus](#). *Alcoholism: Journal of Alcoholism and Related Addictions* 43: 91-103.
8. Stickley A, Leinsalu M, Andreev E, Razvodovsky Y, Väyrynen D, et al. (2007) [Alcohol poisoning in Russia and the countries in the European part of the former Soviet Union, 1970-2002](#). *Eur J Public Health* 17: 444-449.
9. Stickley A, Razvodovsky Y, McKee M (2009) [Alcohol mortality in Russia: a historical perspective](#). *Public Health* 123: 20-26.
10. Stickley A, Razvodovsky Y (2009) [Alcohol poisoning in Belarus: a comparison of urban-rural trends, 1990-2005](#). *Alcohol Alcohol* 44: 326-331.
11. Poikolainen K (1977) [Alcohol poisoning mortality in four Nordic countries. The Finnish foundation for Alcohol Studies, Helsinki](#).
12. Mäkelä K, Room R, Single E, Sulkunen P, Walsh B (1981) *Alcohol, Society and the State*, Toronto: Addiction Research Foundation.

13. Poikolainen K, Leppänen K, Vuori E (2002) [Alcohol sales and fatal alcohol poisonings: a time-series analysis. \*Addiction\* 97: 1037-1040.](#)
14. Norström T, Ramstedt M (2005) [Mortality and population drinking: a review of the literature. \*Drug Alcohol Rev\* 24: 537-547.](#)
15. Nemtsov AVA (2011) [contemporary history of alcohol in Russia. Stockholm. \*Sodertornshogskola\*.](#)
16. Nemtsov AV, Razvodovsky YE (2008) [Alcohol situation in Russia, 1980-2005. \*Social and Clinical Psychiatry\* 2: 52-60.](#)
17. Razvodovsky YE (2012) [Estimation of alcohol attributable fraction of mortality in Russia. \*Adicciones\* 24: 247-252.](#)
18. Treml VG (1982) [Death from alcohol poisoning in the USSR. \*Soviet Studies\* 36: 487-505.](#)
19. Tomkins S, Saburova L, Kiryanov N, Andreev E, McKee M, et al. (2007) [Prevalence and socio-economic distribution of hazardous patterns of alcohol drinking: study of alcohol consumption in men aged 25-54 years in Izhevsk, Russia. \*Addiction\* 102: 544-553.](#)
20. Pomerleau J, McKee M, Rose R, Haerpfer CW, Rotman D, et al. (2008) [Hazardous alcohol drinking in the former Soviet Union: a cross-sectional study of eight countries. \*Alcohol Alcohol\* 43: 351-359.](#)
21. Cook S, Leon DA, Kiryanov N, Ploubidis GB, De Stavola BL (2013) [Alcohol-related dysfunction in working-age men in Izhevsk, Russia: an application of structural equation models to study the association with education. \*PLoS One\* 8: e63792.](#)
22. Chenet L, McKee M, Leon D, Shkolnikov V, Vassin S (1998) [Alcohol and cardiovascular mortality in Moscow: new evidence of a causal association. \*J Epidemiol Community Health\* 52: 772-774.](#)
23. Zaridze D, Brennan P, Boreham J, Boroda A, Karpov R, et al. (2009) [Alcohol and cause-specific mortality in Russia: a retrospective case-control study of 48,557 adult deaths. \*Lancet\* 373: 2201-2214.](#)
24. Zaridze D, Maximovitch D, Lazarev A, Igitov V, Boroda A, et al. (2009) [Alcohol poisoning is a main determinant of recent mortality trends in Russia: evidence from a detailed analysis of mortality statistics and autopsies. \*Int J Epidemiol\* 38: 143-153.](#)
25. Norström T (1989) [The use of aggregate data in alcohol epidemiology. \*Br J Addict\* 84: 969-977.](#)

26. Norström T, Skog OJ (2001) [Alcohol and mortality: methodological and analytical issues in aggregate analyses. \*Addiction\* 96 Suppl 1: S5-17.](#)
27. Box GEP, Jenkins GM (1976) [Time Series Analysis: forecasting and control. London Holden-Day Inc 784.](#)
28. Norström T, Razvodovsky Y (2010) [Per capita alcohol consumption and alcohol-related harm in Belarus, 1970-2005. \*Eur J Public Health\* 20: 564-568.](#)
29. Razvodovsky YE (2010) [Beverage-specific alcohol sales and violent mortality in Russia. \*Adicciones\* 22: 311-315.](#)
30. Razvodovsky YE (2015) [The effect of beverage type on alcoholic psychoses rate in Russia. \*Alcohol Alcohol\* 50: 200-205.](#)
31. Razvodovsky Y (2002) [Asociación entre consumo de vodka y tasa de mortalidad relacionada con el alcohol, a nivel agregado, utilizando series temporales. \*Adicciones\* 14: 497-502.](#)
32. Razvodovsky YE (2003) [Alcohol and mortality crisis in Belarus. Grodno: Grodno State University.](#)
33. Razvodovsky YE (2013) [Consumption of Noncommercial Alcohol among Alcohol-Dependent Patients. \*Psychiatry J\* 2013: 691050.](#)
34. Brandish E, Sheron N (2010) [Drinking patterns and the risk of serious liver disease. \*Expert Rev Gastroenterol Hepatol\* 4: 249-252.](#)
35. Perlman FJ (2010) [Drinking in transition: trends in alcohol consumption in Russia 1994-2004. \*BMC Public Health\* 10: 691.](#)
36. Brainerd E, Cutler DM (2005) [Autopsy on an Empire: Understanding mortality in Russia and the former Soviet Union. \*Journal of Economic Perspective\* 19:107-130.](#)
37. Nemtsov AV (2002) [Alcohol-related human losses in Russia in the 1980s and 1990s. \*Addiction\* 97: 1413-1425.](#)
38. Reitan TC (2000) [Does alcohol matter? Public health in Russia and the Baltic countries before, during, and after the transition. \*Contemporary Drug Problems\* 27: 511-560.](#)
39. Treisman D (2010) [Death and price The political economy of Russia's alcohol crisis. \*Economics of Transition\* 18: 281-331.](#)
40. Schkolnicov VM, Andreev EM, McKee M, Leon DA (2013) [Components and possible determinants of the decrease in Russian mortality in 2004-2010. \*Demographic Research\*](#)

[28:917-950.](#)

41. Razvodovsky Y (2014) [Was the Mortality Decline in Russia Attributable to Alcohol Control Policy? Journal of Sociolomics 3: 1-2.](#)
42. Pridemore WA, Chamlin MB, Kaylen MT, Andreev E (2014) [The effects of the 2006 Russian alcohol policy on alcohol-related mortality: an interrupted time series analysis. Alcohol ClinExp Res 38: 257-266.](#)
43. Wasserman D, VÅrnik A (1998) [Reliability of statistics on violent death and suicide in the former USSR, 1970-1990. ActaPsychiatrScandSuppl 394: 34-41.](#)
44. Andreev E, Pridemore WA, Shkolnikov VM, Antonova OI (2008) [An investigation of the growing number of deaths of unidentified people in Russia. Eur J Public Health 18: 252-257.](#)
45. Semyonova VG, Gavrilova NS, Evdokushkina GN, Gavrilov LA (2004) Data quality of medical statistics as a problem of modern Russian health care. Public Health and Disease Prevention 2: 11-18.
46. Razvodovsky YE (2008) [Noncommercial alcohol in central and eastern Europe, ICAP Review 3. In: International Center for Alcohol Policies, ed. Noncommercial alcohol in three regions. Washington, DC: ICAP 17-23.](#)
47. McKee M, Suzcs S, SÅrvÅry A, Adany R, Kiryanov N, et al. (2005) [The composition of surrogate alcohols consumed in Russia. Alcohol ClinExp Res 29: 1884-1888.](#)
48. Leon DA, Saburova L, Tomkins S, Andreev E, Kiryanov N, et al. (2007) [Hazardous alcohol drinking and premature mortality in Russia: a population based case-control study. Lancet 369: 2001-2009.](#)
49. Bobrova N, West R, Malutina D, Koshkina E, Terkulov R, et al. (2009) [Drinking alcohol surrogates among clients of an alcohol-misuser treatment clinic in Novosibirsk, Russia. Subst Use Misuse 44: 1821-1832.](#)
50. Solodun YV, Monakhova YB, Kuballa T, Samokhvalov AV, Rehm J, et al. (2011) [Unrecorded alcohol consumption in Russia: toxic denaturants and disinfectants pose additional risks. InterdiscipToxicol 4: 198-205.](#)
51. Razvodovsky YE (2013a) Estimation of the level of alcohol consumption in Russia. ICAP Periodic Review Drinking and Culture. 8: 6-10.
52. Rehm J, Room R, Graham K, Monteiro M, Gmel G, et al. (2003) [The relationship of average volume of alcohol consumption and patterns of drinking to burden of disease: an overview. Addiction 98: 1209-1228.](#)
53. Zaridze D, Lewington S2, Boroda A, ScÅlo G, Karpov R, et al. (2014) [Alcohol and](#)



[mortality in Russia: prospective observational study of 151,000 adults. Lancet 383: 1465-1473.](#)

54) Bernd Helms I. A. G., John L. H., “Mechanisms of temperature adaptation in poikilotherms, Lipidome and Disease”, [Vol. 580 \(23\)](#), pp. 5477– 5483, 2006.

55) Brown C. M., and Rose A. H., “Fatty acid composition of *Candida utilis* as affected by growth temperature and dissolved oxygen tension”, *Journal Bacteriology*, Vol. 99, pp. 371-378, 1969

56) Fletcher G.L., “Circannual cycles of blood plasma freezing point Na<sup>+</sup> and Cl<sup>-</sup> concentrations in Newfoundland winter flounder (*Pseudopleuronectes americanus*): correlation with water temperature and photoperiod”, *Canadian Journal of Zoology*, Vol. 55, pp. 789- 795, 1977

57) Frumhoff, P. C., J. J. McCarthy, J. M. Melillo, S. C. Moser, and D. J. Wuebbles, “Confronting Climate Change in the U.S. Northeast: Science, Impacts, and Solutions. Synthesis report of the Northeast Climate Impacts Assessment”, Cambridge, MA: Union of Concerned Scientists, 2007.

58) Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K. B. Avery, M. Tignor, and H. L. Miller (eds.), “Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change” IPCC (Intergovernmental Panel on Climate Change), Cambridge University Press, Cambridge, UK, and New York, pp. 996, 2007.

59) Jauncey K. “Tilapia feeds and feeding”, Pisces Press Ltd. Stirling, Scotland, pp. 240-285, 1998.

60) Leslie M., Buckley J. T. “Phospholipid composition of goldfish (*Carassius auratus* L.) liver and brain and temperature-dependence of phosphatidyl choline synthesis”, [Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, Vol. 53 \( 3\)](#), pp. 335–337, 1976.

61) MacDonald, N. L., Stark R. J. and Keith M. “Digestion and nutrition in the prawn, *Penaeus monodon*”, *Journal World Aquaculture Soc.*, Vol. 20:53A, 1989.

62. [Department of health services of Sri Lanka. Mortality and morbidity tables. Annual Health Bulletin 1999; 98.](#)

63. De Silva A, Ranasinghe L. Epidemiology of snake bite in Sri Lanka: a review. *Ceylon Med J* 1983;28:144-54.

64. [Kasturiratne A, Wickremasinghe AR, de Silva N, Gunawardena NK, Pathmeswaran A, et al. \(2008\) The global burden of snakebite: a literature analysis and modelling based on regional estimates of envenoming and deaths. PLoS Med 5: e218.](#)

65. [Ariaratnam CA, Sheriff MH, Theakston RD, Warrell DA \(2008\) Distinctive epidemiologic and clinical features of common krait \(\*Bungarus caeruleus\*\) bites in Sri Lanka. Am J Trop Med Hyg 79: 458-462.](#)

66. De Silva, Anslam (1980) Snake bite and antivenom treatment in Sri Lanka. Proc. of International seminar on epidemiology and Medical treatment of snake bites. Japan: 134-137.

67. De Silva A, Ranasinghe L (1983) Epidemiology of snake bite in Sri Lanka: a review. *Ceylon Med J* 28: 144-154.
68. [Sharma SK, Khanal B, Pokhrel P, Khan A, Koirala S \(2003\) Snakebite- reappraisal of the situation in eastern Nepal. \*Toxicon\* 41: 285-289.](#)
69. [Warrell DA, Looareesuwan S, White NJ, Theakston RD, Warrell MJ, et al. Severe neurotoxic envenoming by the Malayan krait \*Bungarus candidus\* \(Linnaeus\): response to antivenom and anticholinesterase. \*Br Med J\* 1983;286:678-680.](#)
70. [Watt G, Theakston RDG, Hayes CG, Yambao ML, Sangalang R, Ranoa CP, et al. \(1986\) Positive response to edrophonium in patients with neurotoxic envenoming by cobras \(\*Naja naja philippinensis\*\). A placebo- controlled study. \*N Engl J Med\* 315: 1444-1448.](#)
71. Warrell DA (1995) Clinical toxicology of Snake bites in Asia. In: White MA (ed.) *Handbook of clinical toxicology of animal venoms and poisons*. CRC Press. pp. 493-588.
72. Sharma SK, Chappuis F, Jha N, Bovier PA, Loutan L, et al. (2004) Impact of snake bites and determinants of fatal outcomes in southeastern Nepal. *Am J Trop Med Hyg* 71: 234-238.
73. Kularatne SA (2003) Epidemiology and clinical picture of the Russell's viper (*Daboia russelii russelii*) bite in Anuradhapura, Sri Lanka: a prospective study of 336 patients. *Southeast Asian J Trop Med Public Health* 34: [855-862](#).
74. Ariaratnam CA, Sheriff MH, Theakston RD, Warrell DA (2008) Distinctive epidemiologic and clinical features of common krait (*Bungarus caeruleus*) bites in Sri Lanka. *Am J Trop Med Hyg* 79: [458-462](#).
75. Kularatne SA (2002) Common krait (*Bungarus caeruleus*) bite in Anuradhapura, Sri Lanka: a prospective clinical study, [1996-98. \*Postgrad Med J\* 78: 276-280.](#)
76. Pochanugool C, Limthongkul S, Sitprija V, Benyajati C (1994) Management of cobra bite by artificial respiration and supportive therapy. *J Med Assoc Thai* 77: [161-164](#).
77. Urrie B, Fitzmaurice M, Oakley J (1988) Resolution of neurotoxicity with anticholinesterase therapy in death-adder envenomation. *Med J August* 148: 522-525.
78. [Warrell DA \(1999\) WHO Guidelines for the clinical management of snake bites in the South East Asia Region. \*SE Asian J Trop Med Pub Health\* 30: 1-83.](#)
79. Dar TA, Khan JA, Habib B, Kushwaha SPS, Mendiratta N (2008). Assessment of Herpetofaunal Assemblage in Phakot and Pathri Rao Watershed Areas, Uttarakhand, India. *Int J Ecol Environ Sci* 34 (2):207-213.
80. Srinivasulu C, Dar I (2008). [The Herpetofauna of Nallamala Hills, Eastern Ghats, India: An Annotated Checklist, With Remarks on Nomenclature, Taxonomy, Habitat Use, Adaptive Types](#)

[and Biogeography. \*AsiatHerpetol Res\* 11: 110 - 131.](#)

81. Purkayastha, J., Das, M., &Sengupta S (2011). [Urban herpetofauna: a case study in Guwahati City of Assam, India. \*Herpetol Notes\* 4: 195-202.](#)

82. Guptha M.B, ChalapathiRao PV, Sivaram Prasad NV, SekharMaddala SRSC, MadhuBabu P et.(2012). [Status of Herpetofauna in Seshachalam Biosphere Reserve, Eastern Ghats andhra Pradesh, India. \*World J Zoology\* 7 \(2\): 131-134.](#)

83.Aengals R, Sathish Kumar VM, Palot MJ (2011). [Updated Checklist of Indian Reptiles. Zoological Survey of India. \[zsi.gov.in/ checklist/ Reptiles\]\(http://zsi.gov.in/checklist/Reptiles\).](#)

84.Dinesh KP, Radhakrishnan C, Gururaja KV, Deuti K, Bhatta G (2011). A Checklist of Amphibia of India. Zoological Survey of India. [zsi.gov.in/checklist/Amphibia](http://zsi.gov.in/checklist/Amphibia).

85.Kailash Chandra , Pawan, U.G (2005). [An inventory of herpetofauna of Madhya Pradesh and Chhattisgarh. \*Zoos' Print Journal\* 20: 1812-1819.](#)

86.Nitin W, Amol K, Aniket J, Siddhesh K, Wagh V et. (2011). New locality record of Montane Trinket snake *Coelognathushelenamonticollaris*(Schulz, 1992) from Vansda National Park, Navsari, Gujarat, India. *Universal J Environ Res Technol* 1: 571-573.

87.Bhupathy S, Sathishkumar N (2013). [Status of reptiles in Meghamalai and its environs, Western Ghats, Tamilnadu, India. \*J Threatened Taxa\*, 5: 4953-4961.](#)

88.Chippaux JP (1998) [Snake-bites: appraisal of the global situation. \*Bull World Health Organ\* 76:](#)

[515-524.](#)

89.Kasturiratne A, Wickremasinghe AR, de Silva N, Gunawardena NK, Pathmeswaran A, et al. (2008) [The global burden of snakebite: a literature analysis and modelling based on regional estimates of envenoming and deaths. PLoS Med 5: e218.](#)

90. Warrell DA (2010) Guidelines for the management of snake-bites. Regional Office for South-East Asia - Delhi. WHO 37.

91.Punde DP (2005) [Management of Snake Bite in rural Maharashtra. A 10 year experience. Natl Med J India 18: 71-75.](#)

92.Mohapatra B, Warrell DA, Suraweera W, Bhatia P, Dhingra N, et al. (2011) [Snakebite Mortality in India: A Nationally Representative Mortality Survey. PLoSNegl Trop Dis 5: e1018.](#)

93. Reddy N, Snakes KS (2002) The Synopsis of forensic medicine and toxicology.16th Edition, Hyderabad.

94. Jena A, Sarangi I (1993) Snakes of medical importance and snakebite treatment. Ashish Publishing house, New Delhi.

95.Williams D, Guti rrez JM, Harrison R, Warrell DA, White J, et al. (2010) [The Global Snake Bite Initiative: an antidote for snake bite. Lancet 375: 89-91.](#)

96.Sharma N, Chauhan S, Faruqi S, Bhat P, Varma S (2005) [Snake envenomation in a north Indian hospital. Emerg Med J 22: 118-120.](#)

97.Panna L, SrihariD,Rotti SB, Danabalan M, Kumar A (2001) [Epidemiological profile of snake bite cases admitted in Jipmer Hospital. Indian J Community Med 26: 36-38.](#)

98.Kalantri S, Singh A, Joshi R, Malamba S, Ho C, et al. (2006) [Clinical predictors of in-hospital mortality in patients with snake bite: a retrospective study from a rural hospital in central India. Trop Med Int Health 11: 22-30.](#)

99.Brunda G, Sashidhar RB (2007) [Epidemiological profile of snake-bite cases from Andhra Pradesh using immunoanalytical approach. Indian J Med Res 125: 661-668.](#)

100.Inamdar IF, Aswar NR, Ubaidulla M, Dalvi SD (2010) [Snakebite: admissions at a tertiary health care centre in Maharashtra, India. S Afr Med J 100: 456-458.](#)

101. Bhat RN (1974) [Viperine snakebite poisoning in Jammu. J Indian Med Assoc 63: 383-392.](#)

102.Kularatne SA (2003) [Epidemiology and clinical picture of the Russell's viper \(Daboiarusseliirusselii\) bite in Anuradhapura, Sri Lanka: a prospective study of 336 patients. Southeast Asian J Trop Med Public Health 34: 855-862.](#)

103.Suchithra N, Pappachan JM, Sujathan P (2008) [Snakebite envenoming in Kerala, south India: clinical profile and factors involved in adverse outcomes. Emerg Med J 25: 200-204.](#)

104.Arshad A, Azfar M, Munawwar H, Jawed UA (2011) [Snake Bite on Scrotum- a case report. Pan Afr Med J 10: 25.](#)

.105. Banerjee RN (1978) Poisonous snakes in India, their venom, symptomatology and treatment of envenomation. In Progress in Clinical Medicine in India. (1stedn) M.M.S. AhujaEd.,ArnoldHeinman Publishers, New Delhi 86-179.

106.Hati AK, Mandal M, De MK, Mukherjee H, Hati RN (1992) [Epidemiology of snakebite in the district of Burdwan, West Bengal. J Indian Med Assoc 90: 145-147.](#)

107. Virmani SK, Dutt OP (1987) [A profile of snakebite poisoning in Jammu Region. J Indian Med Assoc 85: 132-134.](#)

.108. Sawai , Yoshi , Manabu , Honma (1975) Snakebites in India. The Snake 1-16.

.109. Phillips RE, Theakston RD, Warrell DA, Galigedara Y, Abeysekera DT, et al. (1988) [Paralysis, rhabdomyolysis and haemolysis caused by bites of Russell's viper \(Viperarussellipulchella\) in Sri Lanka: Failure of Indian \(Haffkine\) Anti-venom. Q J Med 68: 691-715.](#)

110. Saini RK, Singh S, Sharma S, Rampal V, Manhas AS, et al. (1986) [Snake bite poisoning presenting as early morning neuromuscular syndrome in jhuggi dwellers. J Assoc Physicians India 34: 415-417.](#)

