

### International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014

# MATLAB Simulation of a High Step-Up DC-DC Converter for a Micro Grid Application

GadeVenkat Raghavendra Reddy<sup>1</sup>, A. Hari Prasad<sup>2</sup>, Dr.Goli Ravikumar <sup>3</sup>

**ABSTRACT**: A high step-up dc–dc converter for a distributed generation system is proposed in this paper. The concept is composed of two capacitors, two diodes, and one coupled inductor. Two capacitors are charged in parallel, and are discharged in series by the coupled inductor. Thus, high step-up voltage gain can be achieved with an appropriate duty ratio. The voltage stresses on the main switch and output diode are reduced by a passive clamp circuit. Therefore, low resistance  $R_{DS}$  (ON) for the main switch can be adopted to reduce conduction loss. In addition, the reverse recovery problem of the diode is alleviated. The operating principle and steady-state analysis of the voltage gain are also discussed in detail.

Finally, a MATLAB/Simulink based model is developed with 24v input voltage to obtain 400v output voltage and 400w output power from the proposed converter is simulated in this project.

**KEYWORDS**: step-up dc-dc converter, distributed generation system, high step-up voltage gain.

#### 1. INTRODUCTION

The distributed generation (DG) systems based on the renewable energy sources have rapidly developed in recent years. These DG systems are powered by micro sources such as fuel cells, photovoltaic (PV) systems, and batteries. Fig. 1.1 shows a PV distributed system in which the solar source is low dc input voltage.

PV sources can also connect in series to obtain sufficient dc voltage for generating ac utility voltage; however, it is difficult to realize a series connection of the PV source without incurring a shadow effect. High step-up dc-dc converters are generally used as the frontend converters to step from low voltage (12-40 V) to high voltage (380-400 V). High step-up dc-dc converters are required to have a large conversion ratio, high efficiency, and small volume.




Figure.1.1. PV Distributed System

<sup>&</sup>lt;sup>1</sup>Department of E.E.E, VasireddyVenkatadri Institute of Technology, Nambur, India

<sup>&</sup>lt;sup>2</sup>Department of E.E.E, VasireddyVenkatadri Institute of Technology, Nambur, India

<sup>&</sup>lt;sup>3</sup>Department of E.E.E, VasireddyVenkatadri Institute of Technology, Nambur, India



# International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014

Distributed energy resource (DER) systems are small-scale power generation technologies (typically in the range of 3 kW to 10,000 kW) used to provide an alternative to or an enhancement of the traditional electric power system. The usual problems with distributed generators are their high costs.

#### II. PROPOSED CONVERTER

This Proposed Converter has a high efficiency, high step-up voltage gain, and clamp-mode converter. The proposed converter adds two pairs of additional capacitors and diodes to achieve high step-up voltage gain. The coupled inductor is used as both a forward and flyback type; thus, the two capacitors can be charged in parallel and discharged in series via the coupled inductor. The transit current does not flow through the main switch compared with earlier studies. Thus, the proposed converter has low conduction loss. Additionally, this converter allows significant weight and volume reduction compared with other converters. Another benefit is that the voltage stresses on the main switch and output diode are reduced. However, the leakage inductor of the coupled inductor may cause high power loss and voltage spike. Thus, a passive clamping circuit is needed to recycle the leakage-inductor energy of the coupled inductor and to clamp the voltage across the main switch. The reverse-recovery problems in the diodes are alleviated, and thus, high efficiency can be achieved.




Figure.1. Circuit Configuration of the proposed converter

#### 2.1 Operation

This converter consists of dc input voltage Vin, power switch S, coupled inductors Np and Ns, one clamp diode D1, clamp capacitor C1, two blocking capacitors C2 and C3, two blocking

diodes D2 and D3, output diode Do, and output capacitor Co. The coupled inductor is modeled as the magnetizing inductor Lm and leakage inductor Lk.

To simplify the circuit analysis, the following conditions are assumed.

- 1) Capacitors C2, C3, and Co are large enough that Vc2, Vc3, and Vo are considered to be constant in one switching period.
- 2) The power MOSFET and diodes are treated as ideal, but the parasitic capacitor of the power switch is considered.
- 3) The coupling coefficient of coupled inductor k is equal to Lm/(Lm+Lk) and the turns ratio of coupled inductor n is equal to Ns/Np.

#### 2.2Continuous-Conduction Mode (CCM) Operation

In CCM operation, there are six operating modes in one switching period of the proposed converter. The operating modes are described as follows.

**Mode I [t0, t1]:** During this time interval, S is turned on. Diodes D1, D2, and D3 are turned off and Do is turned on. The current-flow path is shown in Fig.2. The primary-side current of the coupled inductor iLk is increased linearly. The magnetizing inductor Lm stores its energy from dc source Vin. Due to the leakage inductor Lk, the secondary-side current of the coupled inductor  $i_s$  is decreased linearly. The voltage across the secondary side winding of the coupled inductor VL 2, and blocking voltages Vc 2 and Vc 3 are connected in series to charge the output capacitor Co and to provide the energy to the load R. When the current is becomes zero, dc source Vin begins to charge capacitors C2 and C3 via the coupled inductor. When iLk is equal to iLm at t = t1, this operating mode ends.



### International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014




Figure.2. Current flowing path of proposed converter CCM Mode I operation.

**Mode II [t1, t2]:** During this time interval, S is still turned on. Diodes D1 and Do are turned off, and D2 and D3 are turned on. The current-flow path is shown in Fig. 3. The magnetizing inductor Lm is stored energy from dc source V in . Some of the energy from dc source V in transfers to the secondary side of the coupled inductor to charge the capacitors C2 and C3. Voltages Vc2 and Vc3 are approximately equal to nV in . Output capacitor Co provides the energy to load R. This operating mode ends when switch S is turned off at t = t2.




Figure.3. Current flowing path of proposed converter CCM Mode II operation.

**Mode III [t2 , t3 ]:** During this time interval, S is turned off. Diodes D1 and Do are turned off, and D2 and D3 are turned on. The current-flow path is shown in Fig. 4. The energies of leakage inductor Lk and magnetizing inductor Lm are released to the parasitic capacitor Cds of switch S. The capacitors C2 and C3 are still charged by the dc source Vin via the coupled inductor. The output capacitor Co provides energy to load R. When the capacitor voltage Vin+Vds is equal to Vc1 at t=t3, diode D1 conducts and this operating mode ends.




Figure.4. Current flowing path of proposed converter CCM Mode III operation.

**Mode IV [t3, t4]:** During this time interval, S is turned off. Diodes D1, D2, and D3 are turned on and Do is turned off. The current-flow path is shown in Fig.5. The energies of leakage inductor Lk and magnetizing inductor Lm are released to the clamp capacitor C1. Some of the energy stored in Lm starts to release to capacitors C2 and C3 in parallel via the coupled inductor until secondary current is equals to zero. Meanwhile, current iLk is decreased quickly. Thus, diodes D2 and D3 are cut off at t = t4, and this operating mode ends.



### International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

#### Vol. 3, Issue 9, September 2014




Figure.5. Current flowing path of proposed converter CCM Mode IV operation

**Mode V** [t4, t5]: During this time interval, S is turned off. Diodes D1 and Do are turned on, and D2 and D3 are turned off. The current-flow path is shown in Fig.6. The energies of leakage inductor Lk and magnetizing inductor Lm are released to the clamp capacitor C1. The primary and secondary windings of the coupled inductor, dc sources V in , and capacitors C2 and C3 are in series to transfer their energies to the output capacitor Co and load C3. This operating mode ends when capacitor C1 starts to discharge at C1 starts at




Figure.6. Current flowing path of proposed converter CCM Mode V operation

**Mode VI [t5, t6]:** During this time interval, S is still turned off. Diodes D1 and Do are turned on, and D2 and D3 are turned off. The current-flow path is shown in Fig.7. The primary-side and secondary-side windings of the coupled inductor, dc sources V in , and capacitors, C1, C2, and C3, transfer their energies to the output capacitor Co and load R. This mode ends at t = t6 when S is turned on at the beginning of the next switching period.




Figure.7. Current flowing path of proposed converter CCM Mode VI operation



### International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

#### Vol. 3, Issue 9, September 2014




Figure.8. Some typical key waveforms of the proposed converter at CCM operation.

#### 2.4 Dis-Continuous Conduction Mode (DCM) Operation

In order to simplify the analysis for DCM operation, leakage inductor Lk of the coupled inductor is neglected. There are three modes in DCM operation. The operating modes are described as follows.

**Mode I [t0, t1]:** During this time interval, S is turned on. The current-flow path is shown in Fig.9.The part energy of dc source Vin transfers to magnetizing inductor Lm. Thus, iLm is increased linearly. The dc source Vin also transfers another part energy to charge capacitors C2 and C3 via the coupled inductor. The energy of the output capacitor Co is discharged to load R. This mode ends when S is turned off at t = t1.




Figure.9. Current flowing path of proposed converter DCM Mode I operation

**Mode II** [t1, t2]: During this time interval, S is turned off. The current-flow path is shown in Fig.10. The energy of the magnetizing inductor Lm is released to the capacitor C1. Similarly, capacitors C2 and C3 are discharged in a series with dc source Vin and magnetizing inductor Lm to the capacitor C0 and load R. This mode ends when the energy stored in Lm is depleted at t = t2.



# International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

#### Vol. 3, Issue 9, September 2014




Figure.10. Current flowing path of proposed converter DCM Mode II operation

**Mode III [t2, t3]:** During this time interval, S remains turned off. The current-flow path is shown in Fig.11. Since the energy stored in Lm is depleted, the energy stored in Co is discharged to load R. This mode ends when S is turned on at t = t3.




Figure.11. Current flowing path of proposed converter DCM Mode III operation




Figure.12. Some typical key waveforms of the proposed converter at DCM operation.



# International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014

#### III. STEADY STATE ANALYSIS

#### 3.1.CCM Operation

At modes IV and V, the energy of the leakage inductor Lk is released to the clamped capacitor C1. According to previous work, the duty cycle of the released energy can be expressed as

$$D_{c1} = \frac{t_{c1}}{T_s} = \frac{2(1-D)}{n+1} \tag{1}$$

where Ts is the switching period, Dc 1 is the duty ratio of the switch, and tc 1 is the time of modes IV and V. By applying the voltage-second balance principle on Lm, the voltage across the capacitor C1 can be represented by

$$V_{c1} = \frac{D}{1 - D} \cdot V_{in} \cdot \frac{(1 + k) + (1 - k)n}{2}.$$
 (2)

Since the time durations of modes I, III, and IV are significantly short, only modes II, V, and VI are considered in CCM operation for the steady-state analysis. In the time period of mode II, the following equations can be written based on Fig. 3.

$$v_{L1}^{II} = \frac{L_m}{L_m + L_{k1}} V_{\rm in} = k V_{\rm in}$$
 (3)

$$v_{L2}^{II} = nv_{L1}^{II} = nkV_{\rm in}.$$
 (4)

Thus, the voltage across capacitors C2 and C3 can be written as

$$V_{c2} = V_{c3} = v_{L2}^{II} = nkV_{\rm in}.$$
 (5)

During the time duration of modes V and VI, the following equation can be formulated based on Fig.7

$$v_{L2}^V = v_{L2}^{VI} = V_{\text{in}} + V_{c1} + V_{c2} + V_{c3} - V_o.$$
 (6)

Thus, the voltage across the magnetizing inductor Lm can be derived as

$$v_{L1}^{V} = v_{L1}^{VI} = \frac{v_{L2}^{VI}}{n} = \frac{V_{\text{in}} + V_{c1} + V_{c2} + V_{c3} - V_{o}}{n}.$$
 (7)

Using the volt-second balance principle on *Lm*, the following equation is given:

$$\int_{0}^{DT_{s}} v_{L1}^{II} dt + \int_{DT_{s}}^{T_{s}} v_{L1}^{VI} dt = 0.$$
 (8)

Substituting (2), (3), (5), and (7) into (8), the voltage gain is obtained as

$$M_{\text{CCM}} = \frac{1+nk}{1-D} + nk + \frac{D}{1-D} \cdot \frac{(1-k)(n-1)}{2}.$$
 (9)

The ideal voltage gain is written as

$$M_{\rm CCM} = \frac{1+n}{1-D} + n.$$
 (10)

According to the description of the operating modes, the voltage stresses on the active switch S and diodes D1, D2, D3, and Do are given as

$$V_{DS} = \frac{1}{1 - D} V_{\text{in}} = \frac{V_o - nV_{\text{in}}}{n + 1} \tag{11}$$

$$V_{D1} = \frac{1}{1 - D} V_{\text{in}} = \frac{V_o - nV_{\text{in}}}{n + 1}$$
 (12)

$$V_{D2} = V_{D3} = V_{Do} = \frac{n}{1 - D} V_{\text{in}} = \frac{n}{n + 1} (V_o - nV_{\text{in}}).$$
 (13)

Equations (11)–(13) mean that with the same specifications, the voltage stresses on the main switch and diodes can be adjusted by the turn's ratio of the coupled inductor.



# International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014

#### 3.2. DCM Operation

In DCM operation, three modes are discussed. The key waveform is shown in Fig. 5. During the time of mode I, the switch S is turned on. Thus, the following equations can be formulated based on Fig.9

$$v_{L1}^I = V_{\rm in} \tag{14}$$

$$v_{L2}^I = nV_{\rm in}.\tag{15}$$

The peak value of the magnetizing inductor current is given as

$$I_{Lmp} = \frac{V_{\rm in}}{L_m} DT_s. \tag{16}$$

Furthermore, the voltage across capacitors C2 and C3 can be written as

$$V_{c2} = V_{c3} = v_{L2}^I = nV_{\rm in}. (17)$$

In the time interval of mode II, the following equations can be expressed based on Fig.10

$$v_{L1}^{II} = -V_{c1},$$
 (18)

$$v_{L2}^{II} = V_{\rm in} + V_{c1} + V_{c2} + V_{c3} - V_o.$$
 (19)

During the time of mode III, the following equation can be derived from Fig.2.11

$$v_{L1}^{III} = v_{L2}^{III} = 0. (20)$$

Applying the voltage-second balance principle on Np, Ns of the coupled inductor, the following equations are given as

$$\int_{0}^{DT_{s}} v_{L1}^{I} dt + \int_{DT_{s}}^{(D+D_{L})T_{s}} v_{L1}^{II} dt + \int_{(D+D_{L})T_{s}}^{T_{s}} v_{L1}^{III} dt = 0$$
(21)

$$\int_{0}^{DT_{s}} v_{L2}^{I} dt + \int_{DT_{s}}^{(D+D_{L})T_{s}} v_{L2}^{II} dt + \int_{(D+D_{L})T_{s}}^{T_{s}} v_{L2}^{III} dt = 0.$$
(22)

Substituting (14), (15), (17), (18), (19), and (20) into (21) and (22), the voltage gain is obtained as follows:

$$V_{c1} = \frac{D}{D_L} V_{\rm in} \tag{23}$$

$$V_o = \left[ \frac{D}{D_L} (n+1) + (2n+1) \right] V_{\rm in}.$$
 (24)

According to (24), the duty cycle DL can be derived as

$$D_L = \frac{(1+n)DV_{\rm in}}{V_0 - (1+2n)V_{\rm in}}.$$
 (25)

#### IV. SIMULINK MODELS AND RESULTS


The MATLAB/Simulink model of the proposed converter under full load condition (Po=400W) is shown in Fig.4.1. The output voltage 400v obtained is shown in Fig.4.2. The proposed converter is operated in CCM under full-load cindition. The corresponding diode voltage and current waveforms are shown in Fig's.4.3-4.11. Fig.4.3 Output voltage waveform for proposed converter in CCM operation at Vds is clamped at appropriately 70v. Fig. 4.5 Output current waveform for proposed converter in CCM operation at IS is clamped at appropriately 10A. Fig's.4.7&4.8 the Output current waveforms of Id2 and Id3 show that capacitors C2 and C3 are charged in parallel. The diode currentsID2and ID3 are clamped at appropriately 8A. Fig.4.10. Output current waveform for proposed converter in CCM operation at Id0 is clamped at appropriately 10A. Fig.4.11. is Output voltage waveforms for proposed converter in CCM operation at Vd0 shows the voltage stresses of the main switch and diodes.



### International Journal of Advanced Research in Electrical, **Electronics and Instrumentation Engineering**

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014



gure.13 MATLAB/Simulink Model of the Proposed Converter under Full-Load condition  $P_{o} = 400W$ .




Figure.14. Output voltage waveform for proposed converter in CCM operation





Figure.15. Output voltage waveform for proposed converter in CCM operation at Vds.




### International Journal of Advanced Research in Electrical, **Electronics and Instrumentation Engineering**

(An ISO 3297: 2007 Certified Organization)


Vol. 3, Issue 9, September 2014



**Figure.16**. Output current waveform for proposed converter in CCM operation at Ilk.



Figur.17 Output current waveform for proposed converter in CCM operation at IS.



**Figure.18.** Output voltage waveform for proposed converter in CCM operation at Vds.





Figure.19 Output current waveform for proposed converter in CCM operation at Id2.



### International Journal of Advanced Research in Electrical, **Electronics and Instrumentation Engineering**

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014



**Figure.20** Output current waveform for proposed converter in CCM operation at Id3.






Figure.21. Output voltage waveform for proposed converter in CCM operation at Vds.



**Figure.22.** Output current waveform for proposed converter in CCM operation at Id0.



**Figure.23.** Output voltage waveforms for proposed converter in CCM operation at Vd0.



### International Journal of Advanced Research in Electrical, **Electronics and Instrumentation Engineering**

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 9, September 2014

Mode of Operation	Input Voltage(Vin)	Output Voltage(Vo)
CCM Operation	24	400
DCM Operation	24	500

Table.1.Comparison Table of the proposed converter

#### V. CONCLUSION

A step-up dc-dc converter is designed and Simulated in this project. By using the capacitor charged in parallel and discharged in a series by the coupled inductor, a high step-up voltage gain is achieved. The steady-state analysis of voltage gain is discussed in detail. Simulation results confirm that high step-up voltage gain is achieved. Moreover, the proposed converter has simple structure. It is suitable for renewable energy systems in microgrid applications.

#### **REFERENCES**

- 1. Y. Li and Y. W. Li, "Decoupled power control for an inverter based low voltage microgrid in autonomous operation," in Proc. IEEE Int. Power Electron. Motion Control Conf. (IPEMC), 2009, pp. 2490-2496.
- Y. Li, D. M. Vilathgamuwa, and P. H. Loh, "Design, analysis, and real-time testing of a controller for Multibus microgrid system," IEEE Trans. Power Electron., vol. 19, no. 5, pp. 1195-1204, Jul. 2004.
- C. L. Chen, Y. W, J. S. Lai, Y. S. Lee, and D. Martin, "Design of parallel inverters for smooth mode transfer microgrid applications," IEEE Trans. Power Electron., vol. 25, no. 1, pp. 6–15, Jan. 2010.
- Timbus, M. Liserre, R. Teodorescu, P. Rodriguez, and F. Blaabjerg, "Evaluation of current controllers for distributed power generation systems," IEEE Trans. Power Electron., vol. 24, no. 3, pp. 654-664, Mar. 2009.
- Y. A.-R. I. Mohamed and E. F. El Saadany, "Hybrid variable-structure control with evolutionary optimum-tuning algorithm for fast grid-5 voltage regulation using inverter-based distributed generation," IEEE Trans. Power Electron, vol. 23, no. 3, pp. 1334-1341, May 2008.
- Y. A.-R. I. Mohamed and E. F. El Saadany, "Adaptive decentralized droop controller to preserve power sharing stability of paralleled inverters in distributed generation microgrids," IEEE Trans. Power Electron., vol. 23, no. 6, pp. 2806-2816, Nov. 2008.
- Y. W. Li and C. -N. Kao, "An accurate power control strategy for power electronics- interfaced distributed generation units operating in a low voltage multibus microgrid," IEEE Trans. Power Electron., vol. 24, no. 12, pp. 2977-2988, Dec. 2009.
- H. Karimi, A. Yazdani, and R. Iravani, "Negative-sequence current injection for fast islanding detection of a distributed resource unit," IEEE Trans. Power Electron., vol. 23, no. 1, pp. 298-307, Jan. 2008.
- T. Shimizu, K.Wada, and N. Nakamura, "Flyback-type single-phase utility interactive inverter with power pulsation decoupling on the dc input for an ac photovoltaic module system," IEEE Trans. Power Electron, vol. 21, no. 5, pp. 1264-1272, Sep. 2006.
- 10. L. Palma, M. H. Todorovic, and P. Enjeti, "A high gain transformer less DC-DC converter for fuel-cell applications," in Proc. IEEE Power Electron. Spec. Conf. (PESC), 2005, pp. 2514-2520.