Review on Sciatica

Anusha Badarla*

Department of Pharmaceutical Analysis and Quality Assurance, SLC College of Pharmacy, Telangana, India

Review Article

ABSTRACT

Received: 23/09/2016 Accepted: 26/09/2016 Published: 29/09/2016

*For Correspondence

Department of Pharmaceutical Analysis and Quality Assurance, SLC College of Pharmacy, Telangana, India.

Keywords: Sciatica, Clinical effectiveness, Treatment strategies

E-Mail: anushampharmacy2015@gmail.com

Neuralgia is one amongst the principal frequently reportable grievances: it influences personal satisfaction and lessens social and financial usefulness. Clinical studies on the viability of stylostixis therapeutic guide in neuralgia expanding, though precise audits evaluating through practicality of stylostixis restorative guide are as yet deficient. This study intends to survey the viability of stylostixis medicinal guide for neuralgia. Comprehensive inquiries of eight databases were directed up till April 2015. Results encased viability (extent of patients United Nations organization enhanced entirely or part in clinical indications), torment force, and supreme limit. Sizes were given as danger greatness connection and mean refinement. Pooled result sizes were figured by mounted impacts or irregular impacts model. A complete of twelve studies (including 1842 members) was encased. Comes about demonstrated that stylostixis was less complex than Common Western Medicine (CWM) in results viability, torment power, and supreme edge. Subgroup and affectability investigation found that the outcomes neglected to revision in various treatments strategy and medication classes well. The reportable unfriendly impacts were satisfactory. Stylostixis could likewise be compelling in treating the agony identified with neuralgia.

INTRODUCTION

Sciatica might be a typical harming characterized by torment disparate into the leg; it's ordinarily created by nerve root pressure and aggravation or irritation of the nerves ischiadicus, and is for the most part among lower back torment and drug shortfalls inside the lower limb. The agony is generally identified with shivering, manifestation and shortcoming of the leg; it ought to be sudden in onset thus hold on for a considerable length of time or weeks. Fry Moyer reportable that neuralgia is to a great degree normal, with a timeframe rate variable from thirteen to fourhundredth and a relating yearly occurrence of neuralgia scenes of 1-5%. Sciatica unremarkably influences people between the ages of thirty and 50 years, with the torment of neuralgia extensively harming health. Thus, in accordance with a report from Yuns, neuralgia in African nation has turned into a noteworthy clarification for work nonappearance and a cash weight to society. Past investigation has shown that hour of patients with neuralgia experience the ill effects of a light insufficiency. On the reason of surveys (given at the third through twelfth months of side effect show), it's trusted that half-hour of patients stand neuralgia for entirely 1 year, which winds up in an apparent decline inside the nature of life. The present administration of neuralgia will be arranged into medicinal strength and non-pharmacological treatment. One article bolsters the adequacy of non-opioid medicine, epidural infusions and plate surgery [1-10]. It moreover proposes that spinal control, stylostixis and trial medicines, value drug natural operators, could likewise be pondered. Eight the job of therapeutic forte item esteems sedatives or corticosteroids have related unfavorable impacts and in addition sedation, discombobulating, ataxia and queasiness, and their adequacy diminish with long-run use. However in line with the past precise survey epidural infusions zone unit more straightforward for agony lessening than non-opioids, associated antagonistic impacts to epidural infusions are reportable. To this point, there's no durable proof based pharmaceutical demonstrating that non-pharmacological moderate treatment of Western prescription is effective, likewise, surgical methodology territory unit obtrusive, dear and will bring about solution complications. In China, neuralgia might be an essential driver for restorative guide and it's unremarkably utilized for overseeing harming pain. Stylostixis is reportable to be compelling in treating numerous assortments of framework agony also as lower back pain, fibromyalgia,

osteoarthritis and neuralgia [11-20]. At the same time, the force of stylostixis to with achievement oversee neuralgia, either as a monotherapy or as AN aide to Western treatment, stays hazy.

METHODS

Search Strategy

Electronic database searches of communication system (1950 - New vogue period 2010), EMBASE (1980 - New vogue period 2010) and CINAHL (1981 - New vogue period 2010) were performed victimization the keywords: neurology, half radiculopathy, half radicular pain, lumbosacral radicular syndrome, ischia's, ischialgia, nerve root pain, prognosis (truncated), predict, outcome, risk issue, recovery, clarification, cohort study, longitudinal study, prospective study, prognostic study. Hand-searches of reference lists of known articles and relevant review articles were conjointly conducted [21-30].

Sorts of Members

Patients with sciatica will be incorporated, incorporating those determined to have sciatica equivalent words, for example, radiculopathy, nerve root bargain, nerve root pressure, nerve root agony and torment transmitting beneath the knee. There will be no confinement on sex, age or the force or span of indications. Patients with intense contamination, caudal equine disorder, essential spinal stenosis and lower back agony without sciatica will be prohibited [31-35].

Sorts of Intercessions

- Any kind of intrusive needle therapy will be incorporated, for example, needle therapy, electro-needle therapy, stretched needle therapy, three-edged needle therapy, fire needling, auricular needle therapy, stomach needle therapy, warm needle therapy and pyonex. Control mediations may incorporate general consideration; sham needle therapy/fake treatment and holding up rundown care [36-40].
- Acupuncture versus other Western drug treatment will be incorporated. •
- Acupuncture in addition to another Western drug treatment versus the same Western medication treatment alone will be incorporated.
- RCTs looking at two changed sorts of needle therapy will be barred.
- Acupuncture treatment without needle addition (e.g., pressure point massage, laser needle therapy and electrical incitement) will be barred.
- Acupuncture consolidated with Chinese medication, acupoint infusion and/or needle blade will be barred [41-50]

Sorts of Result Appraisals

Essential results

- Pain power. Any accepted estimation scales will be incorporated (e.g., visual simple scale, numeric rating scale, short-frame McGill Pain Questionnaire (SF-MPQ)).
- Global evaluation (the extent of patients enhanced or cured).
- Ouality of life, for instance, as evaluated utilizing the Medical Outcomes Study 36-thing Short Form • wellbeing reviews (SF-36).
- Physical examinations.
- Patient satisfaction.
- Adverse effects. •

Causes of Sciatica

Impingement of the plate on nerves spinals roots might be a regular however by no proposes that the sole purpose for neurology. Any new presentation with torment in an extremely nerve root conveyance, or change in an aforesaid stable torment state, should be exactingly researched to bar infective or dangerous reasons for torment. Threat dispensing pressure on the additional spinal course of the nerve was noted in thirty two instances of neurology, that was steady, dynamic, and lethargic to bed rest.9 Eighteen of the cases were owing to threatening tumors (six, metastatic; 5, essential bone sarcoma; and 7, delicate tissue sarcoma). 2 were tumors of the nerve itself. Distinctive uncommon threatening reasons for neurology exemplify haemangioblastoma on a sacral root50 and

Research and Reviews: Journal of Pharmacology and Toxicological Studies p-ISSN:2322-0139 p-ISSN:2322-0120

respiratory organ carcinoma metastasis inside the pelvis. These underline the significance of appropriate examination of all new instances of neurology ^[51-60].

History of Sciatica

Most patients with intense sciatic agony answer to preservationist symptomatic administration and determination over a measure of weeks to months ^[61-70], however, some don't and require surgery. Pretty much 10–40% develop to be [3] perpetual torment disorder, which can be alluded to as 'fizzled back surgery syndrome'.56 unfortunately these days, it's hard to anticipate at partner degree early stage those that square measure extra certainly to possess a poor result. Twelve month information based investigation of 280 patients, hospitalized with neurology and affirmed circle hernia, demonstrated that the dominant part patients with neurology may review partner degree scene of low back torment in their 20s, commonly furious by injury. Radicular indications commonly seemed pretty much ten twelvemonth later, once relate degree scene of low back agony enduring days to weeks, regularly while not a specific causative issue ^[71-80]. This LED to a pinnacle onset of neurology happening round the age of forty-

CONCLUSION

Sciatica might be a typical condition that is a noteworthy clarification for work nonattendance and a huge cash weight to every business and wellbeing administration arrangement. In spite of the fact that the circle has been immovably required inside the pathophysiology of this condition, the exact way of the connection to plate, nerve, and agony isn't in any case bound ^[81-90]. Current verification proposes that the core pulpous incites a powerful provocative reaction in nerves roots and this is frequently a conceivable supply of torment. Confirmation furthermore exists that proposes that aggravation, irregular insusceptible variables, and mechanical distortion of the nerve is expected to supply torment, and this shows up a conceivable mix. In any case, burst of the core pulpous isn't the sole clarification for neuralgia and option causes mustn't be overlooked. As it would turn out, most instances of neuralgia territory unit self-restricting and agony tends to determine at interims a matter of months. Be that as it may, a few cases get the opportunity to end up perpetual, and unfortunately, these are frequently hard to treat. Epidural steroid infusion remains an all-around loved treatment for the intense piece of neuralgia. Enormous meta-investigations have incontestable this is frequently a proficient treatment for at least the intense piece of neuralgia. In any case, the subject of the regardless of whether this is regularly an on the spot result or as a consequence of general uptake and conveyance of medication from the vascular epidural house must be determined ^[91-100].

REFERENCES

- 1. Rao G. Ubiquitin-Proteasome System in Neurodegenerative Disorders. J Drug Metab Toxicol. 2015;6:187.
- 2. Jerônimo MC. Chemical and physical-chemical properties, antioxidant activity and fatty acids profile of red pitaya [Hylocereus Undatus (Haw.) Britton & Rose] grown in Brazil. J Drug Metab Toxicol. 2015;6:188.
- Abdirahman YA. The hypoglycemic activity and safety of aqueous stem bark extracts of Acacia nilotica. J Drug Metab Toxicol. 2015;6:189.
- 4. Yu P. Effect of glutamate on brain iron metabolism and the regulation mechanism. J Drug Metab Toxicol. 2015;6:190.
- 5. Hussien AMA. Cranberry extract as a functional food in treatment of oxidative stress in iron-induced hepatic toxicity in rats. J Drug Metab Toxicol. 2015;6:191.
- 6. Fernández V. A multienzyme response is involved in the phenomenon of fasciola hepatica resistance to triclabendazole. J Drug Metab Toxicol. 2015;6:192.
- 7. Pawar HA and Lalitha KG. Toxicological evaluation of gum (galactomannans) isolated from senna tora seeds. J Drug Metab Toxicol. 2015;6:193.
- 8. Shanmugan P and Bandameedi R. Chronotherapeutic drug delivery systems. J Drug Metab Toxicol. 2015;6:194.
- 9. Fahmy HM, et al. Effect of radiofrequency waves emitted from conventional wifi devices on some oxidative stress parameters in rat kidney. J Drug Metab Toxicol. 2015;6:195.
- 10. Kebamo S, et al. The role of biotransformation in drug discovery and development. J Drug Metab Toxicol. 2015;6:196.
- 11. Praveen PK, et al. Tuberculosis, a milk-borne zoonosis: a critical review. J Drug Metab Toxicol. 2015;6:e126.
- 12. Wakchaure R, et al. Marker assisted selection (mas) in animal breeding: a review. J Drug Metab Toxicol. 6:e127.
- 13. Mou H, et al. NRSF and CCR5 established neuron-glia communication during acute and chronic stresses. J Drug Metab Toxicol. 2016;7:197.

- 14. Khargharia S. Disposition kinetic of amoxicillin in healthy and nephropathic goats with immunological and residual level in blood and tissues. J Drug Metab Toxicol. 2012;S5:003.
- 15. Lowry JA. Lead and its effects on cytochromes p450. J Drug Metab Toxicol. 2012;S5:004.
- 16. Di Rocco DJ. Serotonin syndrome: opportunity for missed diagnosis. J Drug Metab Toxicol. 2011;2:109.
- 17. Oezguen N. Analysis of cytochrome p450 conserved sequence motifs between helices e and h: prediction of critical motifs and residues in enzyme functions. J Drug Metab Toxicol. 2011;2:110.
- 18. Yilmaz H. Acute mixed hepatitis induced by propylthiouracyl. Case report. J Drug Metab Toxicol. 2011;2:111.
- 19. Yacob AR. Detection of vapour metabolites of glue sniffer's urine using head space gas chromatography mass spectrometry. J Drug Metab Toxicol. 2011;2:112.
- 20. Kara B. Hyperamylasemia after over purchase of clonazepam. J Drug Metab Toxicol. 2011;2:113.
- 21. Xin-Mei C. New progress on the pharmacological and pharmacokinetical study of ginsenoside RG3. J Drug Metabol Toxicol. 2012;3:114.
- 22. Waring JF. Gene expression changes related to synaptic deficits in the tg2576 mouse model of alzheimer's disease. J Drug Metab Toxicol. 2012;3:115.
- 23. Hou SM. Susceptibility of human lymphocytes to 2-nitrofluorene-induced gene mutation is strongly dependent on metabolic genotypes. J Drug Metab Toxicol. 2012;3:e116.
- 24. Yang L. Sex differences in the expression of drug-metabolizing and transporter genes in human liver. J Drug Metab Toxicol. 2012;3:119.
- 25. Sari A. Determination of mda levels in the plant (some salvia I. Taxa growing in Turkey). J Drug Metab Toxicol. 2012;3:117.
- 26. Akande IS. Biochemical evaluation of some locally prepared herbal remedies (agbo) currently on high demand in lagos metropolis, Nigeria. J Drug Metab Toxicol. 2012;3:118.
- 27. Adebayo AJ. Influence of isoniazid treatment on microsomal lipid peroxidation and antioxidant defense systems of rats. J Drug Metab Toxicol. 2012;3:120.
- 28. Nanjwade BK. Development and evaluation of gastroretentive floating tablets of glipizide based on effervescent technology. J Drug Metab Toxicol. 2012;3:121.
- 29. Pathak A. Role of zinc on antioxidative enzymes and lipid peroxidation in brain of diabetic rats. J Drug Metab Toxicol. 2012;3:122.
- 30. Meier DSR. Absorption, distribution and excretion pattern of oral and transdermal donepezil hydrochloride after single and repeated administration to the rat. J Drug Metab Toxicol. 2012;3:123.
- Ozok N. Effects of subacute and subchronic treatment of synthetic plant growth regulators on liver damage serum biomarkers tissue antioxidant defense systems and lipid peroxidation in rats. J Drug Metab Toxicol. 2012;3:124.
- 32. Gaies E. Methotrexate side effects: review article. J Drug Metab Toxicol. 2012;3:125.
- 33. Singh JK. Comparative in-vitro intrinsic clearance of imipramine in multiple species liver microsomes: human, rat, mouse and dog. J Drug Metab Toxicol. 2012;3:126.
- 34. Adebayo AJ. Microsomal lipid peroxidation, antioxidant enzyme activities in brain of male rats during longterm exposure to isoniazid. J Drug Metab Toxicol. 2012;3:127.
- 35. Taguchi K. A fourteen-day observation and pharmacokinetic evaluation after a massive intravenous infusion of hemoglobin-vesicles (artificial oxygen carriers) in cynomolgus monkeys. J Drug Metab Toxicol. 2012;3:128.
- 36. Meier DSR. Comparison of metabolism of donepezil in rat, mini-pig and human, following oral and transdermal administration, and in an in vitro model of human epidermis. J Drug Metab Toxicol. 2012;3:129.
- 37. Preissner S. Drug interactions involving the cytochrome p450 enzymes: analysis of common combinations of antibiotics and pain relieving drugs. J Drug Metab Toxicol. 2012;3:131.
- 38. Dwivedi VK. Prevention of cadmium toxicity by ceftriaxone plus sulbactam with vrp1034 in rats. J Drug Metab Toxicol. 2012;3:130.
- 39. Iyanda AA. Assessment of lipid peroxidation and activities of antioxidant enzymes in phosphide- powder residue exposed rats. J Drug Metab Toxicol. 2012;3:132.
- 40. Singh TB. Acetamiprid induces toxicity in mice under experimental conditions with prominent effect on the hematobiochemical parameters. J Drug Metab Toxicol. 2012;3:134.
- 41. Sharma S. Hepatic metabolism of 17a-hydroxyprogesterone caproate in mice, rats, dogs, pigs, rabbits and baboons: a comparison with human liver microsomes and human hepatocytes. J Drug Metab Toxicol. 2012;3:135.
- 42. Cavallaro S. Transcriptional mechanisms underlying apoptosis in cerebellar granule neurons. J Drug Metab Toxicol. 2012;3:136.
- 43. Arindkar S. The effect of fasting on haematology serum biochemistry parameters on stz induced cd1 mice and diabetic db/db mice. J Drug Metab Toxicol. 2012;3:137.

- 44. Arroyo VS. Liver and cadmium toxicity. J Drug Metabol Toxicol. 2012;S5:001.
- 45. Mohammed EA. Tamoxifen-induced lupus erythematosus. J Drug Metab Toxicol. 2012;4:138.
- 46. Mishra RP. In vitro assessment of genotoxicity of some ayurvedic drugs in human lymphocytes by using single cell gel electrophoresis. J Drug Metab Toxicol. 2013;4:139.
- 47. Macpherson D. The biotransformation and pharmacokinetics of 14c-nimesulide in humans following a single dose oral administration. J Drug Metab Toxicol. 2013;4:140.
- 48. Kogashiwa Y. Combination chemotherapy for solid tumors in head and neck. J Drug Metab Toxicol. 2013;4:141.
- 49. Dahikar PR. Effect of withania somnifera (ashwagandha) on the pharmacokinetics of amikacin: a future antimicrobial polypharmacy. J Drug Metab Toxicol. 2013;4:142.
- 50. Ogata N. Ten-week whole-body inhalation toxicity study of chlorine dioxide gas in rats. J Drug Metab Toxicol. 2013;4:143.
- 51. Tang PH. Quantification of antifungal drug voriconazole in serum and plasma by hplc-uv. J Drug Metab Toxicol. 2013;4:144.
- 52. Bigoniya P. Pyridostigmine bromide and potassium iodate: subacute oral toxicity and stability. J Drug Metab Toxicol. 2013;4:145.
- 53. Akiko HRT. Higher expressions of cytochrome p450, udp- glucuronosyltransferase, and transporter genes in nanopillar-cultured rat hepatocyte spheroids. J Drug Metab Toxicol. 2013;4:146.
- 54. Ragab AR. Toxicity patterns and outcomes in acute acetaminophen ingestions. J Drug Metab Toxicol. 2013;4:147.
- 55. Mouhamed DH. *In vitro* effects of salicylic acid on plasma paraoxonase 1 activity. J Drug Metab Toxicol. 2013;4:148.
- 56. Wang C. Critical regulation of calcium signaling and nmda-type glutamate receptor in developmental neural toxicity. J Drug Metab Toxicol. 2013;4:151.
- 57. Zhou C. Glucosamine sodium sulfate can penetrate skin and may affect glucose metabolism in rats. J Drug Metab Toxicol. 2013;4:149.
- 58. Khan AU. Effect of reconstitution solvents and containers on kinetics and safety of cephradine neutralized with I-arginine. J Drug Metab Toxicol. 2013;4:150.
- 59. Zhang Z. Hyperglycemia as a Risk Factor of Ischemic Stroke. J Drug Metab Toxicol. 2013;4:153.
- 60. Thirunavukkarasu SV. Effect of Manasamitra Vatakam against Aluminium Induced Learning and Memory Impairment of Apoptosis in Rat's Hippocampus and Cortex. J Drug Metab Toxicol. 2013;4:154.
- 61. Dinakaran GK. Tail Rot Disease in Macrobrachium idella idella (Hilgendorf, 1898). J Drug Metab Toxicol. 2013;4:155.
- 62. Anand M. Organochlorine pesticides in the females suffering from breast cancer and its relation to estrogen receptor status. J Drug Metab Toxicol. 2013;4:156.
- 63. Al-Abbasi FA. The Effect of Glycemic Status on the Serum Amino Acid Profile of Diabetic Saudi Patients. J Drug Metab Toxicol. 2013;4:158.
- 64. Srivastava P. Pharmacokinetics, Metabolism and Excretion of Hypolipidemic DRUG: 16 Dehydropregnenolone. J Drug Metab Toxicol. 2013;4:157.
- 65. Gao C. Drug Metabolism and Pharmacokinetics of Organosulfur Compounds from Garlic. J Drug Metab Toxicol. 2013;4:159.
- 66. Akın A. The Effects of N-acetylcysteine in Patients with Amanita phalloides Intoxication. J Drug Metab Toxicol. 2013;4:160.
- 67. Mittal DK. Mechanism of Polygonum bistorta and Zingiber roseum Against Toxicity. J Drug Metab Toxicol. 2014;5:161.
- 68. Husain K. Pancreatic Cancer Treatment. J Drug Metab Toxicol. 2014;5:162.
- 69. Zhang AH. Potential Applications and Development of Cell Metabolomics in Natural Products. J Drug Metab Toxicol. 2014;5:163.
- 70. McCormick MA. Review of Marijuana Use in the Adolescent Population and Implications of its Legalization in the United States. J Drug Metab Toxicol. 2014;5:165.
- 71. Stengel PW. Insight into Pulmonary Gas Trapping as an Index of Airway Responses in Small Laboratory Animals. J Drug Metab Toxicol. 2014;5:166.
- 72. Kalla RMN. Synthesis of 14-aryl/ alkyl-14H-dibenzo [a,j] Xanthenes and Nitriles Catalyzed by KHS04-Si02 Under Ultra-sonication and Solvent-free Conditions. J Drug Metab Toxicol. 2014;5:167.
- 73. Kika K. Sciatica: Review of Epidemiological Studies and Prevalence Estimates. Spine. 2008;33:2464-2472.
- 74. Vroomen PCAJ, et al. Conservative Treatment of Sciatica: A Systematic Review. Journal of Spinal Disorders. 2000;13:463-469.
- 75. Pinto RZ, et al. Epidural Corticosteroid Injections in the Management of Sciatica: A Systematic Review and Meta-analysis. *Ann Intern Med.* 2012;157:865-877.

- 76. Jacobs WCH, et al. Surgery versus conservative management of sciatica due to a lumbar herniated disc: a systematic review. European Spine Journal. 2011;20:513-522.
- 77. Hagen KB, et al. The Updated Cochrane Review of Bed Rest for Low Back Pain and Sciatica. Spine. 2005;30:542-546.
- 78. Hagen KB, et al. The Cochrane Review of Advice to Stay Active As a Single Treatment for Low Back Pain and Sciatica. Spine. 2002;27:1736-1741.
- 79. Stafford MA, et al. Sciatica: a review of history, epidemiology, pathogenesis, and the role of epidural steroid injection in management. Br J Anaesth. 2007;99:461-473.
- 80. Vroomen PCAJ, et al. Diagnostic value of history and physical examination in patients suspected of sciatica due to disc herniation: a systematic review. J Neurol. 1999;246:899.
- 81. Tulder MWV, et al. Outcome of invasive treatment modalities on back pain and sciatica: an evidence-based review. Eur Spine J. 2006;15:S82-S92.
- 82. Shiri R, et al. Cardiovascular and lifestyle risk factors in lumbar radicular pain or clinically defined sciatica: a systematic review. Eur Spine J. 2007;16:2043-2054.
- 83. Pinto RZ, et al. Drugs for relief of pain in patients with sciatica: systematic review and meta-analysis. *BMJ.* 2012;344:e497.
- 84. Wassenaar M, et al. Magnetic resonance imaging for diagnosing lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. Eur Spine J. 2012;21:220-227.
- 85. Javid MJ, et al. A 1- to 4-year follow-up review of treatment of sciatica using chemonucleolysis or laminectomy. J Neurosurg. 1992;76:184-190.
- 86. Lewis R, et al. The clinical effectiveness and cost-effectiveness of management strategies for sciatica: systematic review and economic model. Health Technol Assess. 2011;15:1-578.
- 87. Spencer DL. The anatomical basis of sciatica secondary to herniated lumbar disc: a review. Neurol Res. 1999; Suppl. 1:S33-6.
- 88. Koes BW, et al. Diagnosis and treatment of sciatica. BMJ. 2007;334:1313-1317.
- 89. Pengel LHM, et al. Acute low back pain: systematic review of its prognosis. BMJ. 2003;327:323.
- 90. Julie Ashworth J, et al. Prognostic factors in non-surgically treated sciatica: A systematic review. BMC Musculoskeletal Disorders. 2011;12:208.
- 91. Shealy CM. Percutaneous radiofrequency denervation of spinal facets Treatment for chronic back pain and sciatica. Journal of Neurosurgery. 1975;43:448-451.
- 92. Roth JS, et al. Gluteal compartment syndrome and sciatica after bone marrow biopsy: a case report and review of the literature. The American Surgeon. 2002;68:791-794.
- 93. Jacobs WCH, et al. Surgical techniques for sciatica due to herniated disc, a systematic review. European Spine Journal. 2012;21:2232–2251.
- 94. Yde L, et al. Smoking and low back pain: a systematic literature review of 41 journal articles reporting 47 epidemiologic studies. Spine. 1999;24:1463.
- 95. Tulder MWV, et al. Outcome of non-invasive treatment modalities on back pain: an evidence-based review. Eur Spine J. 2006;15:S64–S81.
- 96. Vroomen PCAJ et al. Lack of Effectiveness of Bed Rest for Sciatica. N Engl J Med. 1999;340:418-423.
- 97. Rijn RMV, et al. Computed tomography for the diagnosis of lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. European Spine Journal. 2012;21:228–239.
- Carette S, et al. Epidural corticosteroid injections for sciatica due to herniated nucleus pulposus. N Engl J Med. 1997;336:1634-1640.
- 99. Santos MM, et.al. Trigeminal neuralgia: literature review. J. Morphol. Sci. 2013;30:1-5.
- 100. Montano N, et.al. Advances in diagnosis and treatment of trigeminal neuralgia. Therapeutics and Clinical Risk Management. 2015;11:289–299.