# Research and Reviews: Journal of Medical and Health Sciences

## A Short Review on Gastrointestinal Disorders

B N S Sailakshmi\*, K Sita Devi

Department of Pharmaceutics, Sri Padmavathi Mahila University, Tirupathi, India

## **Review Article**

## ABSTRACT

Received: 05/07/2016 Accepted: 05/08/2016 Published: 08/08/2016

## \*For Correspondence

B N S Sailakshmi Department of Pharmaceutics, Sri Padmavathi Mahila University, Tirupathi, Tel: 9885051463.

E-Mail: sailakshmi.neeraja@gmail.com

**Keywords:** Gastrointestinal disorders, Colitis, Constipation, Anal fissures, Diverticular Disease.

Knowledge about the psychosocial aspects of the gastrointestinal disorders is fundamental and critical to the understanding of the gastrointestinal disorders and their effective treatment. Gastrointestinal disorders occurs most frequently which are seen in gastroenterology practice in which symptoms may include bloating, stomach cramps, stomach pain, gas, diarrhea etc. These gastrointestinal disorders may be functional or structural. In case of Functional disorders bowel looks like normal but function is improper whereas in structural disorders bowel looks abnormal and doesn't work properly. Its treatment includes both medication and life style changes.

## INTRODUCTION

Gastrointestinal diseases are the diseases of gastrointestinal tract, namely the esophagus, stomach, small intestine, large intestine and rectum, and the accessory organs of digestion, the liver, gallbladder, and pancreas. Reports showed that at least 1 among 4 people in the U.S. have stomach or intestinal problems which are extremely severe which are interfering with the person's daily scheduled activities and quality of their life. Gastrointestinal disorders (GI) may be of functional or structural <sup>[1-4]</sup>. In this review we had made an attempt to summarize both types of GI disorders, and illustrates some of the gastrointestinal disorders reasons for their occurrence, and how to treat (and/or prevent) them.

## **Types of Gastrointestinal Disorders**

Gastrointestinal diseases can be divided in to two broad categories mainly Functional Gastrointestinal Disorders (FGIDs) and Structural Gastrointestinal Disorders.

Functional Gastrointestinal Disorders are mainly the disorders of gastrointestinal tract by the result of abnormal functioning of it (which is the system of digestive organs that starts at mouth and ends at the anus). In these disorders bowel looks normal but it is improper in its function. These functional gastrointestinal disorders are often difficult to diagnose as there is no noticeable damage to the GI tract even though they produce very frequent symptoms.

1. Functional disorders are:

- Constipation
- Irritable Bowel Syndrome

In case of Structural disorders, the bowel itself looks abnormal and is also improper in its function. Sometimes, the treatment for this is removing the structural abnormality surgically as they are easy to diagnose. The common structural disorders mostly affect the anus and also diverticulum and causes cancer <sup>[5-10]</sup>.

- 2. Structural disorders are:
- 1. Anal disorders

Hemorrhoids

- a. Internal b. External Anal fissures Perianal abscesses Anal fistula 2. Diverticular Disease
- 3. Colitis

## Constipation

Constipation is just a condition with difficulty in bowel emptying causing painful defecation. Everyone deal with occasional constipation which exactly means a condition in which a person is having 3-4 bowel movements per week <sup>[11-15]</sup>. When the symptoms exist for months or years instead of days, it becomes Chronic Constipation. The below chart illustrates the differences between occasional and chronic constipation <sup>[16]</sup>.

#### Symptoms

Bowel movements are not frequent and are very difficult in having bowel movements as well as swollen abdomen or abdominal pain straining during bowel movements and also having hard stools.

#### **Causes and Risk Factors**

- Not taking enough fiber through diet
- Intake of too much dairy products
- · Ignoring the urgency in case of a bowel movement
- Not taking enough water or liquids
- Lack of proper physical activity

Medications (that are mainly used for pain) and also usage of some kinds of antacids with aluminum and

- calcium
  - Changes in daily activities
  - More usage of laxatives and stool softeners.

#### **Diagnosis and Treatment**

If anyone suffers from constipation, their healthcare provider treat it depending on their symptoms its causes, how serious they are, and how long they are having them <sup>[17-23]</sup>.

Treatment mainly includes the following:

- Change in diet- especially, eating more fiber, less dairy products, and drinking adequate water.
- Doing exercise and changing lifestyle.

• Taking prescribed medication, this may include laxatives, enemas, or stool softeners, and approved IBS agents.

## Irritable Bowel Syndrome

Irritable bowel syndrome is also a Functional Gastrointestinal Disorders mainly affects the large intestine. It troubles people at any age and is most common in women of age 30-50. IBS is results in stomach discomfort or pain and problem with bowel habits: either going more or less often than normal (diarrhea or constipation) and they may result different kind of stool (thin, hard, or soft and liquid). It's not life-threatening, and it usually doesn't results other colon conditions, such as ulcerative colitis, Crohn's disease, or colon cancer. However IBS is a chronic condition that changes how you live your life <sup>[24-26]</sup>.

#### Symptoms

Not all people with IBS have exactly the same symptoms they might vary for different persons. For few, the symptoms can be manageable, while for others, they are not. The most common symptoms include abdominal pain or cramping, a bloated feeling, Diarrhea or constipation - sometimes constipation and diarrhea for a short period, gas, Mucus in the stool <sup>[26-30]</sup>.

In addition, there are several symptoms that are not related to intestine they are Fatigue, Muscle or low-back pain, Headaches etc.

#### **Causes and Risk Factors**

Like other GI disorders, the exact cause behind IBS is not known exactly but there are various factors that results in GI disorders. The muscles that lines intestine contract and relax in a coordinated rhythm <sup>[31,32]</sup>. In case of IBS there is lack of coordination and these contractions may be stronger and last longer causing gas, bloating and diarrhea.

Abnormalities in gastrointestinal nervous system also play a role in poor coordination of signals between brain and intestines may result in overreaction of body to the changes that normally occur in the digestion process resulting in diarrhea or constipation and pain also. Other causes include stress, hormonal changes etc <sup>[33-37]</sup>.

#### **Diagnosis and Treatment**

It is very hard to cure IBS without knowing the exact cause. But there are number of tips one can follow which may relieve from symptoms or at least to keep in control. IBS is also called as diagnosis of exclusion, in which a doctor first has to take into consideration all the other alternatives and then some tests to rule out some other medical problems. The tests include few laboratory studies and imaging studies like CT scan, endoscopy etc. These tests along with Patient's medical history, physical examination will help in diagnosing irritable bowel syndrome. Blood test or X-ray study doesn't confirm the diagnosis of IBS <sup>[38-43]</sup>.

Treatment of IBS mainly includes dietary changes, exercise and some medications help. Dietary changes like preferring high fiber diet, avoiding dairy products, fatty foods, soda, alcohol, chocolate, and caffeine will help in reducing the discomfort caused by symptoms. Prescribed medications like laxatives, antidepressants and antispasmodics (to regularize contractions in colon), or any other approved agents will reduce stress levels. Reduced stress will lead to less cramping as well as less pain. IBS is known as long lasting condition; however symptoms may change or reappear over time <sup>[44,45]</sup>.

#### Anal Disorders

*Hemorrhoids:* The clumps of blood vessels that are lined at anal opening (rectum) are known as hemorrhoids. The pressure from strain during a bowel movement, persistent diarrhea, pregnancy and some other causes make these hemorrhoids swollen. There are two types of hemorrhoids namely; internal and external.

*Internal hemorrhoids:* These are normal structures of the lower rectum and protecting from damage caused by stool <sup>[46-52]</sup>. They will become irritated to the straining during bowel movement and they will fall down into the anus and start to bleed. And at the end, those internal hemorrhoids will fall down enough to prolapse outside of the anal sphincter.

Treatment includes improvement in bowel habits (mainly avoiding constipation, do not strain during bowel movements, and defecation in case of urgency), usage of elastic bands for pulling the internal hemorrhoids to rectum, or their surgical abortion. Surgery is necessary only for few patients with very big, painful, and persistent hemorrhoids <sup>[53,54]</sup>.

**External hemorrhoids:** External hemorrhoids occurs under the skin outside and around the anus, which are sometimes more painful. After straining during the bowel movement, veins at external hemorrhoids burst and a blood clot forms beneath the skin and is very painful. This condition is called pile.

Treatment is removing that clot or the protruded vein under local anesthesia if the pain is unbearable <sup>[55-58]</sup>.

## Anal fissures

The splits or cracks with in the lining of anal opening are called Anal fissures. The foremost common reason for this condition is passage of very terribly laborious or liquid stools. The crack with within the anal lining exposes the underlying muscle mass that keep watch over the passage of stool by way of the anus and out of the body. An anal fissure is one in all the main painful issues therefore of the uncovered muscle groups emerge as annoyed from exposure to stool or air, main to severe burning, anguish, bleeding, or spasm after bowel actions.

Foremost treatment includes usage of analgesics, intake of fiber to deminish the incidence of enormous, bulky stools, and sitz baths (sitting in warm water) for anal fissures. If these treatments don't relieve pain, surgery could also require decreasing spasm within the sphincter muscle <sup>[58-66]</sup>.

#### **Perianal abscesses**

Blockage of tiny anal glands within the anus at which existence of bacterium resulting in an infection, at this condition there will be development of pus this severe condition is called perianal abscesses. In this case the patient is anaesthetized and draining of the abscess is the main treatment <sup>[67]</sup>.

## Anal fistula

A little tunnel developed between the tip of the gut and at which the skin close to the anus is nothing but the anal fistula. Wastage of the body passes through the tiny anal canal are diverted through this tiny channel and out through the skin, inflicting itching and irritation. As a result of Fistulas there will be pain, and bleeding. They not often heal via themselves and in most cases want surgical procedure to empty the abscess and "shut off" the fistula <sup>[68,69]</sup>.

#### **Diverticular disease**

The formation of small outpouchings (diverticula) or numerous tiny sockets in the wall of the large intestine most of the time in the weakened areas of bowel this severe condition is termed as Diverticulosis. They quite often happen within the high-strain area of the intestine that's sigmoid colon <sup>[69,70]</sup>.

Diverticular sickness is incredibly usual and occurs in 10 percent of people over age forty and in 50 percentages of people over age 60 in Western cultures. It's on the whole caused by means of too little roughage (fiber) within the weight-reduction plan. People struggling with diverticulosis not often or commonly does not have any signs or symptoms [71].

Issues of diverticular disease arise in about 10 percent of people with outpouchings. It results in infection or inflammation (diverticulitis), obstruction and bleeding. Remedy of diverticulitis quite often entails usage of antibiotics, expanded intake of fluids, and a particular food regimen. Surgical procedure is needed in about 1/2 of the circumstances who have issues to dispose of the concerned phase of the colon [72-75].

#### **Ulcerative Colitis**

In case of Inflammatory Bowel Diseases (IBD) ulcerative Colitis is one of the major disorders. This condition arises as a result of abnormal response of the immune system. In case of ulcerative colitis the immune system misidentifies harmless Gut flora as a threat <sup>[76]</sup>. Thus the immune system starts working against it. When the immune system gets switched on, it's hard to get it to show off again. Ulcerative colitis occurs when the lining of large intestine and rectum gets inflammation.

Ulcerative colitis occurs only at the lining of the colon which is also called as large intestine whereas in case of Crohn's disease it can affect any part of the intestine. Ulcerative colitis results in inflammation developing small ulcers bring out mucous or pus <sup>[77-81]</sup>.

Unfortunately, the causes of ulcerative colitis are not known till date. Some researchers suspect that it is the outcome of blend of several reasons, which includes the genes of the person who has the ailment, his immune system, and coming into contact with specific resources within the atmosphere <sup>[82-85]</sup>.

**Symptoms:** In most cases the patients suffering from ulcerative colitis experience mild symptoms. The symptoms mainly include belly discomfort, Urgent bowel movement, Blood in the stool, Anemia, Weight loss, Rectal bleeding, Loss of appetite etc.

In case of younger children growth and development may delay due to the presence of ulcerative colitis <sup>[86-89]</sup>.

**Diagnosis and treatment:** The diagnosis of ulcerative colitis is mainly based on the symptoms that occur. This disorder is sometimes confused with the other intestinal disorders like crohn's disease. There are several tests to diagnose ulcerative colitis <sup>[89-97]</sup>. They mainly include

Stool test: examining stool for the presence of blood, bacteria, and parasites

Endoscopy: usage of flexible tube to examine the stomach, esophagus, and small intestine

Colonoscopy: this involves insertion of a long, flexible tube into the rectum to examine the inside of the

colon

Biopsy: tissue sample from the colon is examined

Barium enema: X-rays are taken of colon and rectum, using barium to provide contrast

Sometimes blood test also helps in the diagnosis of ulcerative colitis.

## **Preventing GI Tract Disorders**

Keeping Your Intestines Healthy

Constipation and other digestive problems are highly complecated, mainly for the individuals who undergo from them probably. They cause disruption in our day-to-day existence. Luckly, these diseases are almost always manageable- and mostly even preventable through small changes in diet and lifestyle <sup>[98-103]</sup>. Listed here are some treatments with the intention to support and keep your gut and digestive process healthful:

1. Consume to beat disease. This means a healthful eating regimen with plenty of fruits, excessive fiber foods, green leafy vegetables and yellow vegetables.

2. Less intake of fat. Extra fat slows digestion and results in heartburn, bloating, and constipation and also in addition raises the risk of heart disease, diabetes, and even colon cancer.

3. Hydrate your body. Drinking lots of water. Intake of around 6 to 8 glasses of water daily will aid in maintaining natural digestive process.

4. Physical activity and regular exercise is essential and is good for healthy digestion and also reduces the risk of many diseases.

5. Quit drinking alcohol and tobacco. More than one or two alcoholic drinks per day, or chewing or smoking tobacco can results in critical digestive disorders.

6. Taking medications as prescribed by your health care professional. Nonsteroidal anti-inflammatory drugs such as aspirin, ibuprofen and naproxen may harm intestine and digestive system. If it is necessary take it with food.

## CONCLUSION

Gastrointestinal disorders as well as diseases of the colon and rectum are common in society and also in clinical practice. There exist established diagnostic criteria when these are symptomatically defined. These GIDs can be prevented or minimized by practicing good bowel habits and maintaining a healthy lifestyle.

#### REFERENCES

- 1. Johnsen K, et al. Clinical Impact of Endoscopic Ultrasonography in Pancreaticobiliary and Upper Gastrointestinal Diseases. J Hepatol Gastroint Dis. 2016;2:123.
- 2. Martins JCS, et al. Cardiovascular Complications of Gastrointestinal Diseases. J Gastrointest Dig Syst. 2015;5:351.
- 3. Bjarnadottir H, et al. Mannan-Binding Lectin (MBL) Deficient Individuals with the O/O Genotype are Highly Susceptible to Gastrointestinal Diseases. J Clin Cell Immunol. 2014;5:182.
- 4. El-Tawil AM. Gender and the Pathogenesis of Gastrointestinal Diseases: The Role of Steroid Sex Hormones in the Development. J Steroids Hormon Sci. 2011;2:e101.
- 5. Anitha M, et al. Intestinal dysbiosis contributes to the delayed gastrointestinal transit in high-fat diet fed mice. Cell Mol Gastroenterol Hepatol. 2016;2:328-339.
- 6. Hanson KE and Couturier MR. Multiplexed Molecular Diagnostics for Respiratory, Gastrointestinal and Central Nervous System Infections. Clin Infect Dis. 2016.
- 7. Canonico S, et al. Ulcerative Colitis in the Elderly. J Gerontol Geriat Res. 2013;3:e125.
- 8. Shimizu A, et al. Generalized Pustular Psoriasis Associated with Ulcerative Colitis. J Clin Exp Dermatol Res. 2013; 4:192.
- 9. Lamdhade SJ, et al. Successful Treatment of Listeria Meningitis in a Pregnant Woman with Ulcerative Colitis Receiving Infliximab. Gen Med (Los Angel). 2013;1:116.
- 10. Molnar T, et al. Management of Patients with Ulcerative Colitis after Proctocolectomy: Pouchitis is a Real Danger. J Gastrointest Dig Syst. 2011;1:102.
- 11. Ciurans CC, et al. Chronic Constipation in Pediatrics Not Always a Trivial Discomfort. J Community Med Health. 2016;6:415.
- 12. Chowdhury S, et al. Anti-tumor Activity of IGF-1R Kinase Inhibitor PQIP in Colon Cancer. Clin Exp Pharmacol. 2013; S4:005.
- 13. Zakaria AD, et al. Metastasis of Sigmoid Colon Cancer to the Breast and Uterus: A Case-Study. Trop Med Surg. 2013;1:118.
- 14. Khan AH, et al. Mid Transverse Colon Cancer and the Related Risk Factors: A Case Report. Trop Med Surg. 2013;1:130.
- 15. Neerati P, et al. Curcumin Regulates Colon Cancer by Inhibiting P-Glycoprotein in In-situ Cancerous Colon Perfusion Rat Model. J Cancer Sci Ther. 2013;5:313-319.
- 16. Katelaris P and Krassas G. The Clinical Challenge of Opioid-induced Constipation: Insights from the Opioidinduced Constipation Clinical Audit. J Gen Pract. 2016;4:221.

- 17. Ishikawa H et al. A New Acid-Resistant Seamless Capsule of Bifidobacterium Improves Chronic Constipation in Patients on Maintenance Hemodialysis. J Prob Health. 2015;4:133.
- 18. Scheepers-Hoeks AMJW, et al. Preventive Prescribing of Laxatives for Opioid-induced Constipation Using Electronic Clinical Rule Implementation by Cinical Pharmacists. Adv Pharmacoepidemiol Drug Saf. 2014;3:159.
- 19. Abe T, et al. Efficacy of Lubiprostone in Chronic Constipation: Clinical and Work Productivity Outcomes. J Gastroint Dig Syst. 2014;4:223.
- 20. Davina Houghton. An exploratory study of aspects related to current inpatient and nurse-led clinic management of idiopathic childhood constipation, 6th World Congress on Community Nursing, June 20-21, Cape Town, South Africa, 2016.
- 21. Mohamed Eltorki. FOS-Full of stool: The ED perspective on the ins and outs of pediatric constipation 4th International Conference on Pediatrics & Pediatric Emergency Medicine, March 29-31, 2016 Atlanta, Georgia, USA, 2016.
- 22. Vahit Onur Gul, et al. Melanosis coli occuring in patients with chronic constipation. 4th International Conference & Exhibition on Surgery. Dubai, UAE 2015.
- 23. Mukesh R, et al. Gudavarti- an ayurvedic, cost-efficient treatment for management of constipation. 2nd International Conference and Exhibition on Pharmaceutical Regulatory Affairs, Hyderabad International Convention Centre, India, 2012.
- 24. Nasrat AM, et al. The Real Fact in Irritable Bowel Syndrome. Gen Med (Los Angel). 2015;3:213.
- 25. Barbuti RC and de Moraes-Filho JP. Functional Diseases of the Digestive System: Irritable Bowel Syndrome. Intern Med. 2014;4:150.
- 26. Randall CW, et al. Current Strategies in the Management of Irritable Bowel Syndrome. Intern Med. 2014;S1:006.
- 27. Wheat CL, et al. Educational Needs of Patients with Inflammatory Bowel Disease (IBD) and Non-Adherence to Medical Therapy-A Qualitative Study. J Inflam Bowel Dis & Disord. 2016;1:106.
- 28. Parra RS, et al. Higher Trough Concentrations of Infliximab are Associated with Clinical Remission and Mucosal Healing in Patients with Inflammatory Bowel Disease. J Inflam Bowel Dis & Disord. 2016;1:104.
- 29. Mones RL and Langseder A. Order of with Presentation of Pediatric Siblings Inflammatory Bowel Disease. J Inflam Bowel Dis& Disord. 2016;1:103.
- 30. Adiga A, et al. A Review of Inflammatory Bowel Disease in Patients with Human Immunodeficiency Virus Infection. J AIDS Clin Res. 2016;7:575.
- 31. Ariyasu K, et al. Inflammatory Fibroid Polyps of Large Bowel with PDGFRA Mutation. J Cell Sci Ther. 2016;7:234.
- 32. Rivera de Jesus E, et al. Adoptive Transfer of Dendritic Cells Expressing Fas Ligand Modulates Intestinal Inflammation in a Model of Inflammatory Bowel Disease. J Clin Cell Immunol. 2016; 7:411.
- 33. Claesson MJ, et al. Metatranscriptomics of colonic lesions in inflammatory bowel disease. International Conference on Transcriptomics, July 27-29, Orlando, USA, 2015.
- 34. Liu L. Current advances in inflammatory bowel disease research International Conference and Exhibition on Gastrointestinal Therapeutics, Valencia, Spain, 2015.
- 35. Zelinkova Z and der Woude CJ. Gender and Inflammatory Bowel Disease. J Clin Cell Immunol. 2014;5:245.
- 36. Assa A and Shamir R. Impact of Therapeutic Strategies on Growth in Pediatric Inflammatory Bowel Disease. J Clin Cell Immunol. 2014;5:235.
- 37. Gallo A, et al. Role of Fecal Calprotectin in Monitoring Response to Therapy in Inflammatory Bowel Diseases. J Clin Cell Immunol. 2014;5:252.
- 38. Stone RH, et al. Pharmacokinetics of Monoclonal Antibodies Used for Inflammatory Bowel Diseases in Pregnant Women. J Clin Toxicol. 2014;4:209.
- 39. Filip R, et al. Giant Localized Pseudopolyp of the Colon as the First Manifestation of Inflamatory Bowel Disease: A Case Report and Literature Review. J Gastroint Dig Syst. 2014;4:219.
- 40. Thiruppathy K, et al. Multiple Sclerosis Related Bowel Dysfunction: Pathophysiology, Clinical Manifestation and Management. J Neurol Neurophysiol. 2014;5:255.
- 41. Manning EP, et al. PhytobezoarInduced Small Bowel Obstruction in a Young Male with Virgin Abdomen. J Gastrointest Dig Syst. 2015;5:266.

- 42. Good L and Panas R. Case Series Investigating the Clinical Practice Experience of Serum-Derived Bovine Immunoglobulin/Protein Isolate (SBI) in the Clinical Management of Patients with Inflammatory Bowel Disease. J Gastrointest Dig Syst. 2015;5:268.
- 43. Abegunde A, et al. Change in Bowel Habit and Heme Positive Stool. J Gastrointest Dig Syst. 2015;5:i104.
- 44. Stadnicki A and Stadnicka I. Autacoids in Inflammatory Bowel Diseases. J Autacoids Horm. 2015;5:e127.
- 45. Cross RK. Application of Telemedicine for Patients with Inflammatory Bowel Disease: Review of the Literature and Future Implications. J Gastrointest Dig Syst. 2011;1:e102.
- 46. Hidenori Miyamoto. Minimally Invasive Treatment of Advanced Hemorrhoids and Ultrasound Imaging of Hemorrhoids. J Med Health Sci. 2016;5:22-28.
- 47. Lee BN, et al. Leiomyosarcoma of the Ovary Mimicking Gastrointestinal Stromal Tumor Originating from Small Bowel: A Case Report and Literature Review. Gynecol Obstet (Sunnyvale). 2016;6:359.
- 48. Marwah S, et al. Spontaneous Small Bowel Perforation following Adjuvant Chemotherapy for Carcinoma Breast. J Gastrointest Cancer Stromal Tumor. 2015;1:101.
- 49. Skroza N, et al. Psoriasis and Inflammatory Bowel Diseases: Epidemiological, Genetic and Pathogenetic Correlations: A Review of Literature. J Clin Exp Dermatol Res. 2016;7:335.
- 50. Certik B, et al. Flank Incision Laparotomy Approach for Repair of Traumatic Left Renal Artery Thrombosis, Small Bowel and Transverse Colon Injury. J Vasc Med Surg. 2015;3: 201.
- 51. Stadnicki A and Stadnicka I. Autacoids in Inflammatory Bowel Diseases. J Autacoids Horm. 2015;5:e127.
- 52. Abegunde A, et al. Change in Bowel Habit and Heme Positive Stool. J Gastrointest Dig Syst. 2015;5:i104.
- 53. Nascimento J and Antunes H. Inflammatory Bowel Disease-Experience of a Pediatric Gastroenterology Unit. Pediat Therapeut. 2013;3:173.
- 54. Perkash I. Pelvic Floor Dyssenergia: It's Relevance to the Anorectal Bowel Dysfunctions and Management Guidelines. J Gastroint Dig Syst. 2013;3:e117.
- 55. Xu G and Guo Y. Computed Tomography Findings of Small Bowel Obstruction due to Bezoar Impaction: A Case Series. Emergency Med. 2012;2:130.
- 56. Gradauskas A, et al. Ectopic Decidua Presenting With a Sigmoid Bowel Perforation: A Case Report. J Clin Case Rep. 2012;2:168.
- 57. Folsom AN, et al. Zinc as a Modulator of Chronic, Inflammatory Intestinal Disorders with Focus on Celiac Disease, Inflammatory Bowel Syndrome and Crohn's Disease. J Nutr Food Sci. 2012;2:e116.
- 58. Ghayas N, et al. Frequency of Post-Operative Faecal Incontinence in Patients with Closed and Open Internal Anal Sphincterotomy J Ayub Med Coll Abbottabad. 2015;27:878-882.
- 59. Nelson RL. Chronic Anal Fissures. Am Fam Physician. 2016;93:498-499.
- 60. Beaty JS and Shashidharan M. Anal Fissure Clin Colon Rectal Surg. 2016;29:30-37.
- 61. Vecchio R, et al. A rare case of myeloid sarcoma presenting as anal fissure. G Chir. 2015;36:222-224.
- 62. Martin H. Anal fissures and liquid paraffin. Aust Prescr. 2016;39:75.
- 63. Tamm TI, et al. Changes of Histostructure of Chronic Anal Fissure, Depending on Duration of the Disease. Klin Khir. 2016;1:54-57.
- 64. Hermann J, et al. Current management of anal fistulas in Crohn's disease. Prz Gastroenterol. 2015;10:83-88.
- 65. Zarogoulidis P, et al. Novel Approach for Designing Supportive Care in Genetic Disorders of Gastrointestinal Tract: Three-Dimensional Polymer Model of Nutritional Therapies in Cystic Fibrosis, Ulcerative Colitis, and Crohn`s Disease. J Nanomedine Biotherapeutic Discov. 2014;4:128.
- 66. Laszlo M and Pascu O. Full Clinical and Endoscopic Remission Following Fecal Microbiota Transplant with Moderate-Severe Treatment-Resistant Ulcerative Colitis. J Gastroint Dig Syst. 2014;2:183.
- 67. Al-Thubaiti I and Al-Eissa F. A Patient with NMO and Ulcerative Colitis: Is it only Autoimmunity? J Clin Case Rep. 2013;3:322.
- 68. Galanis I, et al. Prospective Randomized Trial of Simple Drainage vs. Drainage and Initial Fistula Management for Perianal Abscesses. J Gastrointest Dig Syst. 2016;6:382.
- 69. Cetinkaya E, et al. Clinical Experience with Lift Technique For Complex Anal Fistulas. J Gastrointest Dig Syst. 2016;6:425.
- 70. Festa V, et al. Medical Management of "Uncomplicated" Colonic Diverticular Disease: A Review on Poorly Absorbed Antibiotics. J Gastroint Dig Syst. 2014;4:195.

- 71. Wegdam JA, et al. Disease Course of Right- and Left-sided Diverticulitis in a Western Population. J Gastrointest Dig Syst. 2016;6:421.
- 72. Jerraya H, et al. Jejunal Diverticulitis: A Challenging Diagnosis. J Gastrointest Dig Syst. 2015;5:340.
- 73. Gans SL, et al. Influence of the use of Decision Tools for Appendicitis and Diverticulitis on Diagnostic Certainty in the Emergency Department . Emerg Med (Los Angel). 2014;4:223.
- 74. Yamamoto T, et al. Differences in Clinical Characteristics between Right- and Left-Sided Colonic Diverticular Hemorrhage. J Gastroint Dig Syst. 2013;3:142.
- 75. Molnar C, et al. Theoretical and Practical Considerations in Colo-Rectal Diverticulosis Complicated Multiple Sigmoido-Recto-Vesical Fistulas. Journal of Surgery. 2014;10:183-186.
- 76. Hashimoto T, et al. Increasing Use of Colonoscopy Over a Decade has Detected an Increased Prevalence of Colorectal Tumors on the Elderly. J Gastrointest Dig Syst. 2016;6:450.
- 77. Connelly TM, et al. Genetic and Demographic Correlates of Quality of Life after Ileal Pouch Anal Anastomosis for Ulcerative Colitis. J Inflam Bowel Dis & Disord. 2016;1:107.
- 78. Yang L, et al. Associations between Markers of Colorectal Cancer Stem Cells, Mutations, Mirna, and Clinical Characteristics of Ulcerative Colitis. Transl Med (Sunnyvale). 2016;6:168.
- 79. Love BL, et al. Adherence to 5-Aminosalicylic Acid Treatment in Ulcerative Colitis . J Hepatol Gastroint Dis. 2015;1:107.
- 80. Chowdhury ATMM, et al. An Unusual Presentation of Ulcerative Colitis with Numerous Colon Polyps and Formation of Multiple Band and Septum Like Structures in the Colonic Lumen. J Hepatol Gastroint Dis. 2015;1:i101.
- 81. Bassat HE, et al. Interleukin 23 P 19 Expression in Patients with Ulcerative Colitis and Its Relation to Disease Severity. J Mol Biomark Diagn. 2014;5:191.
- 82. Lofberg R, et al. Treatment of Ulcerative Colitis Patients by Local Application of the Toll like Receptor-9 Agonist DIMS0150. J Gastrointest Dig Syst. 2014;4:243.
- 83. Shizuma T. Autoimmune Thyroid Diseases Concomitant with Crohn's Disease and Ulcerative Colitis. Thyroid Disorders Ther. 2015;4:169.
- 84. Saruta M, et al. Endoscopic Findings during the Early Induction Phase of Infliximab Therapy may Predict its Efficacy for Refractory Ulcerative Colitis. J Gastrointest Dig Syst. 2015;5:324.
- 85. Ismail AE, et al. Role of Autologous Bone Marrow Stem Cell Transplantation in the Treatment of Active Ulcerative Colitis. J Stem Cell Res Ther. 2015;5:313.
- 86. Molnar T and Annahazi A. Pathogenesis of Ulcerative Colitis and Crohn's Disease: Similarities, Differences and a Lot of Things We Do Not Know Yet. J Clin Cell Immunol. 2014;5:253.
- 87. Shizuma T. Coexistence of Graves' Disease (Basedow's disease) and Ulcerative Colitis. Intern Med. 2014;4:166.
- 88. Tanaka T, et al. Adacolumn Therapeutic Leucocytapheresis for Ulcerative Colitis: Clinical and Endoscopic Features of Responders and Unresponders to this Non-pharmacologic Intervention. J Gastrointest Dig Syst. 2011;1:104.
- 89. Garcia SB, et al. Neuropeptides in the Development of Colon Cancer. Can Surg. 2016;1:104.
- 90. Van Pelt GW, et al. Stroma-High Lymph Node Involvement Predicts Poor Survival More Accurately for Patients with Stage III Colon Cancer. J Med Surg Pathol. 2016;1:116.
- 91. Lahat A and Fidder HH. Bowel Imaging in IBD Patients: Review of the Literature and Current Recommendations. J Gastroint Dig Syst. 2014;4:189.
- 92. Chowdhury ATMM and Yue Z. Bowel Endometriosis: An Overview. J Gastroint Dig Syst. 2014; 4:186.
- 93. Alkhouri RH, et al. Paraoxonase Gene Expression in Pediatric Inflammatory Bowel Disease. J Clin Cell Immunol. 2014; 5:224.
- 94. Barbuti RC and de Moraes-Filho JP. Functional Diseases of the Digestive System: Irritable Bowel Syndrome. Intern Med. 2014;4:150.
- 95. Bouhadan S and Moreels TG. Ethnic Differences in Inflammatory Bowel Diseases. J Gastroint Dig Syst. 2014;4:173.
- 96. Jain V, et al. Small Bowel Obstruction from Strongyloides Stercoralis: Case Report. J Clin Case Rep. 2014; 4:346.

- 97. Denizot J, et al. Importance of Bacteria as Trigger in Inflammatory Bowel Disease. J Gastroint Dig Syst. 2012;S8:003.
- 98. Uchiyama K, et al. Clinical Studies of Molecular Targeted Therapies for Inflammatory Bowel Disease. Transl Med, 2012;S2:004.
- 99. Atzeni F, et al. Use of Ultrasonography in Patients with Inflammatory Bowel Disease and Spondyloarthritis: An Update. Rheumatol Curr Res. 2012;S2:008.
- 100. Leppert W. Are we able to Manage Effectively Opioid-Induced Bowel Dysfunction?. J Autacoids. 2012; 1:e113.
- 101. Dossou FM, et al. Small Bowel Prolapsed through Perforated Uterus following Illegal Induced Abortion. Surgery Curr Res. 2012;2:118.
- 102. Winter TA and Shah N. The Evolving Medical Management of Short Bowel Syndrome. J Clin Trials. 2013;3:e113.
- 103. Caprioli F, et al. Targeting T cells in Chronic Inflammatory Bowel Diseases. J Clin Cell Immunol. 2013;4:155.