Research & Reviews: Journal of Pharmaceuticals and Nanotechnology

Pollen Allergy: A Pharmacological Insight

Abhishek Chatterjee*

Lovely Faculty of Applied Medical Sciences, Lovely Professional University, Jalandhar, Punjab, India

Review Article

Received: 02/08/2016 Accepted: 05/08/2016 Published: 12/08/2016

*For Correspondence

Abhishek Chatterjee, Post Graduate Fellow, Lovely Faculty of Applied Medical Sciences, Lovely Professional University, Jalandhar, Punjab, India

E-mail:

abhi91scitechnol@gmail.com

Keywords: Pollen allergy: Pharmacology; Allergic reaction

ABSTRACT

Pollen comprise of pollen grains, which are male gametophytes in coarse powder form of plants. These micro gametophytes will produce male gametes by moving from the androecium to the gynoecium. These pollen grains comprises of sporopollenin on the surface and takes the shape of a hard coat. This layer protects the gametophytes during the movement process. As the pollen reaches the surface of a compatible pistil (gynoecium), a pollen tube starts germinating which transfers the sperm to the ovule (female gametophyte). While the movement of the pollens, it may reach human body and can cause different forms of allergy based on the sensitivity of the host.

INTRODUCTION

The microscopic, round, oval grains produced by plants are called pollen grains. Plant use pollen to reproduce from a different flower [1-7]. However, a few species of plants uses pollen from its own flowers for fertilization. For cross pollinated plants the pollen grains must be transferred from certain flowering plants. The transport agents are generally insects. However, another common mode of transfer is wind transfer. This is the major cause of allergy [3,7-15].

Allergy can be defined as a damaging immune response by the body to a substance, especially a particular food, pollen, fur, or dust, to which it has become hypersensitive [16-23]. The causative agent of allergy is termed as allergens. Pollen is also a most common type of allergen [24-31]. There are many plants, trees and even weeds which produces pollen during their sexual reproduction. The pollens are generally male gametes and their job is to fertilize female gametophytes [3,7,9,32-39].

CONTEXT

- Each individual plant can produce more than a million pollen grains in a single day. The weeds are the
 major source of pollen allergy causing seasonal rhinitis or Rhinosinusitis, sinusitis and dermatitis. The
 allergic response depends upon the correlation between onset of symptoms and pollination time [3,4048].
- The common symptoms of pollen allergy are sneezing, runny nose, stuffy nose, itchy throat or inside of ears, hives, swollen eyelids, itchy eyes and coughing, wheezing and trouble breathing etc. [49-57].
- Now, due to global warming, the pollen season have also started earlier and last longer as well.
 However, the increased concentrations of pollen in air will lead to allergenic reactions in people who did not experience them before. It is also suggested that an early exposure to allergens can lead to a lifelong susceptibility to allergies [58-69].

- The most common pollens are either airborne or Northern Hemisphere grass, tree and weed pollen. The improved pasture grasses are having much more allergenic potential than the common Australian native grasses. Few exotic trees planted for showing autumn colours also much more allergenic than Australian trees [70-77].
- Now, if we take a look on why pollen causes allergies in the first place, it could be said that pollen is benign and our immune system treats it like a foreign body. Hence, the release of antibodies takes place to attack the small microscopic pollen particles. Neurotransmitter histamine gets also released which leads to the entrance of more immune booster cells to the blood stream. Finally leads to itching, sneezing, runny nose & inflammation [7,78-85].
- Now climate change is lengthening the pollen season and claiming new victims. The increased level of carbon dioxide in the air has made spring come earlier and is also changing pollen release patterns [85-93]
- Rhinitis is often regarded as a trivial problem, but it could also affect the peoples lives, which are evident from the studies. It may cause disturbance in sleep, daytime concentration impairment and the ability to carry out tasks [18,94-99].

CONCLUSION

Here, it is evident that pollen allergy is one of the most dangerous form of natural allergy. The only way to avoid pollen allergy is to be cautious during particular seasons. A few initiatives can be taken to stop the pollens to enter the house [100].

- The windows and doors should be closed to avoid the pollens in the peak season.
- Instead of using any sort of window fans or attic fans, air condition should be used.
- While driving the car windows should be up.
- The clothing and bedding are to be hanged in the dryer rather than to be hanged.
- The pets who are having fur should be avoided in the house as their fur could stock up pollen grains.

REFERENCES

- 1. Kishikawa R et al. Effect of Climate Change on Fagaceae Airborne Pollen in Japan as Allergic Causative Agent Associated with Food Allergy. J Geogr Nat Disast. 2016;6:182.
- 2. Yeung PK. Importance of Gender Effect in Cardiovascular Pharmacology. Cardiovasc Pharm Open Access. 2016;5:e130.
- 3. Atallah AA. The Production of Bio-yoghurt with Probiotic Bacteria, Royal Jelly and Bee Pollen Grains. J Nutr Food Sci. 2016;6:510.
- 4. García-Mozoa H et al. How the Joint Impact of Land Use and Climate Influences Airborne Pollen Spectrum. Research & Reviews: Journal of Botanical Sciences. 2016.
- 5. Taller J et al. De novo Transcriptome Sequencing Based Identification of Amb a 3-like Pollen Allergen in Common Ragweed (Ambrosia artemisiifolia). Research & Reviews: Journal of Botanical Sciences. 2016.
- 6. Hierro AD et al. Assessing the Morphological Variations on the Pollen Grains of Solanum betaceum caused by Chemical, Biological and Ecological Pesticides. Biol Med (Aligarh). 2016;8:286.
- 7. Ocana-Peinado FM. Regression Models to Forecast Cupressaceae Pollen Concentration in the City of Granada (SE of Spain) Based on Climatic Variables. J Biom Biostat. 2016;7:295.
- 8. Ganga Kailas J et al. Pollution Effect on Pollen Morphology In Industrial Areas Of Hyderabad, Telangana State, India. Journal of Industrial Pollution Control. 2015.
- 9. Inyama CN et al. Systematic Significance of Pollen Morphology of Citrus (Rutaceae) from Owerri. Med Aromat Plants. 2015;4:191.
- 10. Maiti R and Rodríguez HG. Phenology, Morphology and Variability in Pollen Viability of Four Woody Species (Cordiaboissieri, Parkinsonia texana, Parkinsonia aculeate and Leucophyllum frutescens) Exposed to Environmental Temperature in Linares, Northeast of Mexico. Forest Res. 2015;S1:002.

- 11. Yeung PK and Kolathuru SS. Therapeutic Potential of Adenosine Transport Modulators for Cardiovascular Protection. Cardiol Pharmacol. 2015;4:e127.
- 12. Santosh Y and Malabasari TA. Effect of Period of Pollen Storage and Pollination Day after Flower Opening on Fruit Set and Seed Yield in Bitter Gourd (Momordica charantia L.) under shade house. Research & Reviews: Journal of Agriculture and Allied Sciences. 2014.
- 13. Devarinti SR. Pollen Allergy: Common Weeds in Telangana and Their Management Measures. J Biofertil Biopestici. 2015;6:152.
- 14. Yeung PK. Omega -3 Fatty Acid for Cardiovascular Prevention. Nat Prod Chem Res. 2015;3:e111.
- 15. Ruhi MK et al. Study of Anatomical Structure of Vegetative Organs, Floral Meristem and Pollen Development in Sesame. International Journal of Plant, Animal and Environmental Sciences. 2014.
- 16. Abed El-Azim MHM, et al. Identification Phenolic and Biological Activities of Methanolic Extract of Date Palm Pollen (Phoenix dactylifera). J Microb Biochem Technol. 2014;7:047-050.
- 17. Kolathuru SS and Yeung PK. Natural Health Products as Modulators of Adenosine and ATP Metabolism for Cardiovascular Protection. Nat Prod Chem Res 2014:2:e109.
- 18. Yeung PK and Tillman PT. Coenzyme Q10 for Cardiovascular Prevention. Cardiol Pharmacol. 2014;3:e125.
- 19. Gils M et al. Quantitative Assessment of Wheat Pollen Shed by Digital Image Analysis of Trapped Airborne Pollen Grains. Adv Crop Sci Tech. 2013;2:119.
- 20. Yeung PK. ATP Metabolism as Biomarker Target for Cardiovascular Protection. Cardiol Pharmacol. 2013;2:e118.
- 21. Hafidh S et al. DEAD-Box RNA Helicases are among the Constituents of the Tobacco Pollen mRNA Storing Bodies. J Plant Biochem Physiol. 2013;1:114.
- 22. Li H et al. A Simple HPLC Assay for Ginsenoside-Rh2 in Plasma and Its Application for Pharmacokinetic Study in Rats. Nat Prod Chem Res. 2013;1:103.
- 23. Yeung PK and Seto D. A Study of the Effect of Isoproterenol on Red Blood Cell Concentrations of Adenine Nucleotides in a Freely Moving Rat Model In Vivo. Cardiol Pharmacol. 2013;2:102.
- 24. Kishikawa R et al. Effect of Climate Change on Fagaceae Airborne Pollen in Japan as Allergic Causative Agent Associated with Food Allergy. J Geogr Nat Disast. 2016;6:182.
- 25. Jentzsch NS et al. Tolerability Study of a Free Amino Acid-based Formula in Children with Cow's Milk Allergy. J Nutr Food Sci. 2016;6:536.
- 26. Nicpon KJ et al. Left Sided Ptosis in Patient with Medical History of Migraine and Allergy: The Case Report of Probable Ophthalmoplegic Migraine. J Clin Exp Ophthalmol. 2016;7:552.
- 27. Uehara M and Hirai H. Possibility for Allergy Immunotherapy with Long Synthetic Peptide of Bet V1. Otolaryngol (Sunnyvale). 2016;6:244.
- 28. Mitsui C et al. P-Selectin is a Key Molecule Underlying the Pathophysiology of Aspirin- Exacerbated Respiratory Disease. Immunol Disord Immunother. 2016;1:104.
- 29. Cantanii A. Epidemiology and Prevention of Allergy in Children. J Nutr Disorders Ther. 2016;6:183.
- 30. Fan Z and Liu W. Keep Eyes on Integrins. J Immuno Biol. 2016;1:106.
- 31. Qi C et al. TMEM4 is Highly Expressed in Plasma Cell Neoplasms and Associated with B Lymphocyte Differentiation. Immunol Disord Immunother. 2016;1:102.
- 32. Genel S et al. Diagnostic Difficulties in Cow's Milk Protein Allergy. Pharm Anal Acta. 2015;6:e183.
- 33. Fan Z and Liu W. Keep Eyes on Integrins. J Immuno Biol. 2016;1:106.
- 34. Peng-Yuan Z. Allergy, Still Waiting to Explore: Recent Advancement in the Pathogenesis and Therapeutic Approaches of Allergy. J Allergy Ther. 2015;6:e110.
- 35. Cantanii A. In 250 Children. Is Wolly Genetic the Transmission of Allergy and Asthma I, Mainly If these Children are Asthmatic? J Addict Res Ther. 2015;6:237.
- 36. Hatem EMS et al. Role of Specific Ige Antibodies in Children with Protein Allergy. J Nutr Food Sci. 2015;5:401.

- 37. Yadzir ZHM et al. Production of Allergen Extracts for Bivalve Allergy Diagnosis Using Skin Prick Test. J Allergy Ther. 2015;6:216.
- 38. Incorvaia C and Fuiano N. The Role of the Atopy Patch Test in the Diagnosis of Allergy. J Allergy Ther. 2015;6:e109.
- 39. Paudyal P et. al. Readability, Presentation and Quality of Allergy-related Patient Information Leaflets; A Cross Sectional and Longitudinal Study. J Allergy Ther. 2015;6:213.
- 40. Patella V et al. A Cough of Unknown Origin: An Often Serious, Unmet Clinical Problem. J Allergy Ther. 2015;6:210.
- 41. Molnár I et al. The Prevalence and Characteristics of Allergy in Autoimmune Thyroid Diseases. J Clin Cell Immunol. 2015;6:306.
- 42. Devarinti SR. Pollen Allergy: Common Weeds in Telangana and Their Management Measures. J Biofertil Biopestici. 2015;6:152.
- 43. Kurosawa M et al. A Pilot Study on Effect of Beta2-Adrenergic Receptor Gene Polymorphism on Response to Fluticasone/Formoterol Inhaler in Patients with Persistent Asthma. J Allergy Ther. 2015;6:208.
- 44. El-Sebay HM et al. (2015) Specific IgE Antibodies in Infant with Cow's Milk Protein Allergy. J Nutr Food Sci. 2015;5:350.
- 45. Vita R. The Much Overlooked "Materials and Methods". Immunome Res. 2015;5:e004.
- 46. Liu HC et al. House Dust Mite Allergy and Associated Allergen-Specific Immunotherapy in Allergic Asthma. Immunome Res. 2014;11:085.
- 47. Ficke L. Airborne Food Allergies: Education Breathes Life. Air Water Borne Diseases. 2015;4:117.
- 48. Björk AK et al. Contact Allergy and Vulvar Lichen Sclerosus et Atrophicus. Immunome Res. 2014;10:080.
- 49. Josef P. An Unusual Case of Contact Allergy to 4-Tert-Butylphenolformaldehyde Resin. J Allergy Ther. 2014;5:194.
- 50. Antelmi A et al. An Unusual Manifestation of Hair Dye Allergy with Occupational Consequences. Occup Med Health Aff. 2014;2:180.
- 51. Michalska-Krzanowska G. Skin Prick Test in the Diagnosis of Allergy in the Perioperative Period 8 Year Experience. J Allergy Ther. 2014;5:188.
- 52. Hamann CR et al. Allergy Consultation via Smart Glasses: Cases Reports of Real-Time Clinical Decision Support for Suspected Oral Metal Allergy. J Allergy Ther. 2014;5:186.
- 53. Rea F et al. Eosinophilic Esophagitis and Ige-Mediated Allergy in Children: Specific Ige by Component-Based-Allergen Microarray. J Allergy Ther. 2014;5:180.
- 54. Gronke C et al. Treatment with the SQ-Standardised Grass Allergy Immunotherapy Tablet is well Tolerated in Children, Adolescents and Adults in Real Life Application-A Non-Interventional Observational Study. J Allergy Ther. 2013;4:146.
- 55. Letrán A et al. Sublingual Immunotherapy with Quantified Peach Extract: An Alternative Treatment in Legumes Allergy. J Vaccines Vaccin. 2014;5:219.
- 56. Heffler E et al. Buckwheat Allergy: An Emerging Clinical Problem in Europe. J Allergy Ther. 2014;5:168.
- 57. Rosario N and Araujo LML. Does Sensitization to Food Allergens in Patients with Rhinitis Mean Food Allergy? J Allergy Ther. 2014;5:167.
- 58. Pelikan Z. Protective Effects of Oral Disodium Cromoglycate on the Asthmatic Responses Induced by Food Allergy. J Allergy Ther. 2014;5:163.
- 59. Kwong KYC et al. Variability in Measurement of Allergen Skin Testing Results among Allergy-Immunology Specialists. J Allergy Ther. 2014;5:160.
- 60. Ferrante A and Prescott SL. Immunological Immaturity of the Neonate, Protein Kinase C Zeta and Allergy. J Neonatal Biol. 2014;3:e106.
- 61. Caimmi S et al. False Latex Allergy and Allergy Work-up in a Child Undergoing General Anesthesia. Pediat Therapeut. 2013;3:180.

- 62. Pagetta A et al. Shock Protein-derived peptides as a potential immunoregulatory vaccine in allergy. "In silico" analysis. Immunome Research. 2012.
- 63. Fulmer ML et al. Galactose-alpha-1,3- galactose: Possible Role in Red Meat Allergy. J Biosafety Health Educ. 2013;1:e110.
- 64. Genel S et al. Food Allergy: Always a Threat, How do We Treat it? Pharmaceut Anal Acta. 2013;4:268.
- 65. Common LAR et al. How Safe is your Curry? Food Allergy Awareness of Restaurant Staff. J Allergy Ther. 2013;4:140.
- 66. Cantani A. The First World Diagnosis of Allergy. J Allergy Ther. 2013;4:136.
- 67. Crivellato E and Ribatti D. Cooperation of Mast Cells and Basophils in Allergy. J Allergy Ther. 2013;4:135.
- 68. Sudo K et al. Key for Successful Home-Based Slow Oral Immunotherapy in Children with Egg Allergy: Age and Sensitivity. J Allergy Ther. 2013;S3:009.
- 69. Luengo O et al. The Potential of Maternal Dietary Modification for Prevention of Food Allergy. J Aller Ther. 2013;S3:005.
- 70. Olivier CE. Food Allergy. J Aller Ther. 2013;S3:004.
- 71. Basista-Soltys K. Allergy to Propolis in Beekeepers-A Literature Review. Occup Med Health Aff. 2013;1:105.
- 72. Mahram M et al. The Frequency of Common Allergens in Allergic Rhinitis among the Patients Referred to the Allergy Clinic of Qods Hospital in Qazvin during 2007-2010. J Aller Ther. 2013;4:130.
- 73. Tayeb MMS. Allergy to Montelukast Sodium Treated Effectively by Protracted Oral Desensitization: First Case Report. J Aller Ther. 2013;4:129.
- 74. Peiró T et al. Mucin Expression and Corticosteroid Efficacy in Chronic Rhinosinusitis with Nasal Polyps. J Steroids Hormon Sci. 2014;S12:007.
- 75. Ortiz É et al. Sinonasal Ultrastructure of the Hematopoietic Stem Cell Transplant and Chronic Graft-versus-host Disease with Rhinosinusitis. J Stem Cell Res Ther. 2014;4: 157.
- 76. Hendrik HD and Raubenheimer EJ. The Role of Airway Surface Liquid in the Primary Management of Rhinosinusitis. J Interdiscipl Med Dent Sci. 2013;1:106.
- 77. Rozin AP and Toledano K. New Sinusitis Associated Syndrome with Psoriasis and Periophthalmitis. J Clin Case Rep. 2013;3:306.
- 78. Salehi-Abari I et al. Early Evaluation of Granulomatosis with Polyangiitis (Wegener's) in the Patients with Atypical Sinusitis: An Introduction to Amir Alam Hospital Recommendation for Early Detection of Granulomatosis with Polyangiitis in Sinusitis. Rheumatol Curr Res. 2012;2:110.
- 79. Al-Jumaily. Physical Excitation to Chronic Rhinosinusitis Biofilms. J Pulmonar Respirat Med. 2012;2:e114.
- 80. Berlucchi M and Pedruzzi B. Allergic Fungal Sinusitis in Children. J Aller Ther. 2012;S5:004.
- 81. Elmorsy SM and Khafagy YW. Does Asthma and Aspirin Hypersensitivity Affect the Outcome of Endoscopic Sinus Surgery for Chronic Rhinosinusitis with Nasal Polyps. J Aller Ther. 2011;S5: 002.
- 82. Brook I. Complications of Bacterial Rhinosinusitis in Children and their Management. Pediatr Therapeut. 2011:1:e104
- 83. Adoga AA and Ma'an ND. The Epidemiology and Economic Impact of Rhinosinusitis in Jos, North Central Nigeria. J Clinic Res Bioeth. 2011;2:116.
- 84. Lee-Wong M et al. An Osteopathic Approach to Chronic Sinusitis. J Aller Ther. 2011;2:109.
- 85. Allaw BA, et al. Assessment of the Level of Maxillary Sinus Floor in Dentulous, Edentulous and Free End Cases on a Sample of Malay Population Using Orthopantomogram. J Clin Dev Biol. 2016;1:2.
- 86. Arunachalam K. Coronary Sinus-Still a Potential Site for Research. Interventional Cardiology Journal. 2016.
- 87. Horakova Z et al. Spontaneous Pseudomeningocele of a Sphenoid Sinus: An Case Report. Medical Case Reports. 2015.
- 88. Rahman A. Orbital Complications of The Paranasal Sinuses Disease. Translational Biomedicine. 2015.
- 89. Yilmaz M et al. Crystalline Phenol Practices and Clinical Results in our Patients with Pilonidal Sinus. Journal of Universal Surgery. 2015.

- 90. Kapur E et al. Septation of the Sphenoid Sinus and its Clinical Significance. International Journal of Collaborative Research on Internal Medicine & Public Health. 2015.
- 91. Thimmasettaiah NB et al. Pneumosinus Dilatans Frontalis: A case report. Translational Biomedicine. 2015.
- 92. Rathnasiri Bandara SM. Migraine and neurological disorders comorbidity: Consideration of sinus hypoxic nitric oxide theory. 2nd International Conference and Exhibition on Rhinology and Otology, Dubai, UAE. 2015.
- 93. Imogu A. External frontoethmoidectomy in management of sinus disease; Techniques for maintaining frontonasal duct patency. 2nd International Conference and Exhibition on Rhinology and Otology, Dubai, UAE. 2015.
- 94. Khan S and Siddiqui S. Methicillin-resistant Staphylococcus aureus: Case report of acute sinusitis with orbital extension in a pregnant lady. 3rd Euro-Global Experts Meeting on Medical Case Reports, Valencia, Spain. 2016.
- 95. Temerek AT. Evaluation of maxillary sinus floor elevation using the balloon technique. 10th Dentists and Prosthodontics Annual Meeting, New Orleans Louisiana, USA. 2016.
- 96. Tsukahara K et al. Technique of Harmonic Focus® In Tracheostomy. Otolaryngology. 2014;4:160.
- 97. Hsu GS. Utilizing Dehydrated Human Amnion/Chorion Membrane Allograft in Transcanal Tympanoplasty. Otolaryngology. 2014;4:161.
- 98. Nee TS and Saim A. Vallecular Cyst: Airway Challenge and Options of Management. Otolaryngology. 2014;4:158.
- 99. Ramadan O. Nasal cavity and sinus EMP case report with review of other same case reports. Global Summit and Medicare Expo on Head & Neck Surgery, Atlanta, USA. 2015.
- 100. Elwany S. Recalcitrant sinusitis: Causes and management. 2nd International Conference and Exhibition on Rhinology and Otology, Dubai, UAE. 2015.